

Oxygen Sensor Socket

Standard Oxygen Sensors
6 Point With 25/32" Wire Opening



#823

Fits 7/8" or 22mm
3/8" Drive

Oxygen Sensor Wrench

12 & 6 Point



#829

Includes a 12 point and 6 point socket giving the technician the ultimate tool to remove oxygen sensors in confined areas.

The 12 point side enables the technician twice the number of clock angle attachment positions. This gives the technician the maximum accessibility to remove oxygen sensors in difficult areas.

The 6 point side provides the technician the maximum holding power for oxygen sensors that are corroded in place.

The new beefy design is 25% stronger.

Fits with all configurations of oxygen sensor wire/connectors.

Oxygen Sensor Wrench

12 & 6 Point 2 1/8" Offset



#830

Includes a 12 point and 6 point socket giving the technician the ultimate tool to remove oxygen sensors in confined areas.

The 12 point side enables the technician twice the number of clock angle attachment positions. This gives the technician the maximum accessibility to remove oxygen sensors in difficult areas.

The 6 point side provides the technician the maximum holding power for oxygen sensors that are corroded in place.

The new beefy design is 25% stronger.

Fits with all configurations of oxygen sensor wire/connectors.

Designed with additional offset enabling use on LTI Gen II 5.7L HO MPFI V-8 found in the 1992 and later Chevrolet Corvette, 1993 and later Camaro and 1993 and later Pontiac Firebird / Trans Am also 1989 and later Corvette ZR1 with the LT5 5.7L DOHC SFI V-8

Oxygen Sensor Wrench

Shielded Applications



#831

This unique tool has been designed to R&R shielded oxygen sensors currently found on Toyota and Lexus vehicles.

The depth and outer diameter of the socket are critical features enabling it to fit in the limited space of the heat shield.

This tool features a 12 point double hex enabling the technician twice the number of clock angle attachment positions versus a 6 point design. For maximum strength this tool is forged chromolly steel and comes in a black finish.



Oxygen Sensor Wrench

Standard Oxygen Sensors



#834

Fits 7/8" or 22mm
2" Overall Depth

Oxygen Sensor Wrench

6 Point With a 3/8" Drive
1.2" Overall Depth



#835

The 6 point side provides the technician the maximum holding power for oxygen sensors that are corroded in place.

Fits with all configurations of oxygen sensor wire connectors.

Oxygen Sensor Socket

Standard Oxygen Sensors
6 Point With 9/32" Wire Opening



#836

Fits 7/8" or 22mm
3/8" Drive

Oxygen Sensor Chaser



#837

M18x1.5 Thread Chaser
3/8" Drive

Oxygen Sensor Bungs



90-164
O2 Sensor Bung



90-164SS
O2 Sensor Bung
Stainless Steel



90-185
O2 Sensor Bung Plug



90-184
O2 Sensor
Stepped Bung




90-184SS
O2 Sensor
Stepped Bung
Stainless Steel

Thread Repair Kits

Includes: 1 Tap, 1 Insert Tool, 6 Repair Inserts



#832
O2 Sensor Bung
Thread Repair Kit



#833
O2 Sensor Bung
Insert Kit
Includes: 6- Repair Inserts