WC39-HP-22

Walker®

walkerproducts.com

HIGH PERFORMANCE





OE EXACT FIT & PERFORMANCE

ISO 9001 CERTIFIED QUALITY SYSTEM IATF 16949

QUALITY • COVERAGE • SUPPORT

walkerproducts.com

HIGH PERFORMANCE PRODUCTS • CARBURETION • CARBURETOR REPAIR KITS

High Performance Engine Management & Fuel Components




TABLE OF CONTENTS

FUEL INJECTION • OXYGEN SENSORS • BUNGS & PLUGS • ENGINE MANAGEMENT

Oxygen Sensors
Walker 5 Wire Wide Band 5

Bungs & Plugs
Oxygen Sensor/EGTS Bungs & Plugs 6-7
Temperature Sensor Aluminum Bungs 7
Oxygen Sensor Bung & Plug Kits 8

Engine Management
Sensors 9-11

Ignition Wires
Ignition Wires & Mini Crimpers 12

Distributor Caps & Rotors
Distributor Caps & Rotors 13

Fuel Injection Kits
Siemens & Bosch 14
Denso & Delphi 15
Hitachi 16

4-Window Power Valves
4-Window Power Valves 17
Holley® Power Valves & Components 18

Jets
Nitrous, Alcohol, Emulsion & Metering 19
Holley® Jets - Standard Main Jets & Bleeds 20
Holley® Jet Kits 21

Holley®
Accelerator Pumps & Components 22-23
Base Plates 24
Base Plate Components & Throttle Plates 25
Boosters 26
Chokes & Components 27
Choke Conversion Kits 28
Float Bowls 29-30
Float Bowl Components 30-31
Floats & Components 32
Gaskets - Air Cleaner, Air Horn & Fuel Bowl 33
Gaskets - Flange 34
Gaskets - Metering Block 35
Gaskets - Throttle Body 36-37
Main Bodies 38
Metering Blocks & Components 39
Needle & Seat Components 40

Disclaimer: These parts are designed for off-road use only and may not comply with local, state, or federal road regulations.

Holley® (continued)
Secondary Diaphragms & Components 41
Throttle Linkage & Components 42
Throttle Shafts & Components 43
Miscellaneous Components 44

Carter™
AFB 45-48


Carburetor Repair Kits
Carter™ 49
Holley® 50-51
Rochester 52

Connectors
1 Wire 53
2 Wire 53-54
3 Wire 54-56
4 Wire 56-57


Tools & Miscellaneous
Captive Install Tools 58
EGTS Sockets 58
Filter Installation Tool 58
Helicoils 58-59
Mini Strip & Crimpers 59
O2 Bung Repair Kits 59
O2 Chaser 59
O2 Sensor Sockets 59
O2 Wrenches 59
Plain Install Tool 59
Taps 59-60
GM Small Block Valve Cover Gasket 60
Ball Studs 61
Fuel Inlet Fittings 61
Throttle Pin 61

Miscellaneous Kits
Check Vent Valve & Miscellaneous Kit 62
Clips, Retainers & Pins 62
Expansion Plug Kit 62
Filter & Ball Kit 62


Disclaimer: These parts are designed for off-road use only and may not comply with local, state, or federal road regulations.




5 WIRE WIDE BAND SENSOR
250-25001
5 WIRE UEGO, 325 mm




5 WIRE WIDE BAND SENSOR
250-25022
5 WIRE LSU 4.2, 725 mm



5 WIRE WIDE BAND SENSOR
250-25033
5 WIRE LSU 4.9, 900 mm



5 WIRE WIDE BAND SENSOR
250-25075
5 WIRE LSU 4.9, 325 mm



5 WIRE WIDE BAND SENSOR
250-25076
5 WIRE LSU 4.2, 515 mm

Disclaimer: These parts are designed for off-road use only and may not comply with local, state, or federal road regulations.



90-164
1215 MILD STEEL
THREADS: M18 x 1.5-6E
1.0" OD x 0.400" THICK



90-164P
5 PACK
1215 MILD STEEL
THREADS: M18 x 1.5-6E
1.0" OD x 0.400" THICK



90-164SS
303 STAINLESS STEEL
THREADS: M18 x 1.5-6E
1.0" OD x 0.400" THICK



90-164SS-C
303 STAINLESS STEEL
WITH CURVE
THREADS: M18 x 1.5-6E
1.0" OD x 0.400" THICK



90-184
1215 MILD STEEL
STEPPED
THREADS: M18 x 1.5-6E
1.0" OD x 0.875" STEP x 0.530" THICK



90-184SS
303 STAINLESS STEEL
STEPPED
THREADS: M18 x 1.5-6E
1.0" OD x 0.875" STEP x 0.530" THICK



90-184P
5 PACK
1215 MILD STEEL
STEPPED
THREADS: M18 x 1.5-6E
1.0" OD x 0.875" STEP x 0.530" THICK



90-185
1215 MILD STEEL
THREADS: M18 x 1.5-6E
1.0" Hex, 0.650" Thick
Use with 1401F Copper Washer



90-185P
5 PACK
1215 MILD STEEL
THREADS: M18 x 1.5-6E
1.0" Hex, 0.650" Thick
Use with 1401F Copper Washer



90-185SS
303 STAINLESS STEEL
THREADS: M18 x 1.5-6E
1.0" Hex, 0.650" Thick
Use with 1401F Copper Washer



90-185SSP
5 PACK
303 STAINLESS STEEL
THREADS: M18 x 1.5-6E
1.0" Hex, 0.650" Thick
Use with 1401F Copper Washer



90-186
1215 MILD STEEL
STEPPED
THREADS: M10 x 1.25-6H
1.0" OD x 0.735" STEP x 0.315" THICK




90-186P
5 PACK
1215 MILD STEEL
STEPPED
THREADS: M10 x 1.25-6H
1.0" OD x 0.735" STEP x 0.315" THICK




90-186SS
303 STAINLESS STEEL
STEPPED
THREADS: M10 x 1.25-6H
1.0" OD x 0.735" STEP x 0.315" THICK



90-186SSP
5 PACK
303 STAINLESS STEEL
STEPPED
THREADS: M10 x 1.25-6H
1.0" OD x 0.735" STEP x 0.315" THICK



90-187
1215 MILD STEEL
STEPPED
THREADS: M12 x 1.25-6E
1.0" OD x 0.740" STEP x 0.315" THICK



90-187P
5 PACK
1215 MILD STEEL
STEPPED
THREADS: M12 x 1.25-6E
1.0" OD x 0.740" STEP x 0.315" THICK



90-187SS
303 STAINLESS STEEL
STEPPED
THREADS: M12 x 1.25-6E
1.0" OD x 0.740" STEP x 0.315" THICK




90-187SSP
5 PACK
303 STAINLESS STEEL
STEPPED
THREADS: M12 x 1.25-6E
1.0" OD x 0.740" STEP x 0.315" THICK



90-189
1215 MILD STEEL
THREADS: M12 x 1.25-6H
1.0" OD x 0.500" THICK



90-189P
5 PACK
1215 MILD STEEL
THREADS: M12 x 1.25-6H
1.0" OD x 0.500" THICK



90-189SS
303 STAINLESS STEEL
THREADS: M12 x 1.25-6H
1.0" OD x 0.500" THICK



90-189SSP
5 PACK
303 STAINLESS STEEL
THREADS: M12 x 1.25-6H
1.0" OD x 0.500" THICK



90-190
1215 MILD STEEL
62° ANGLE
THREADS: M18 x 1.5-6H
1.0" OD x 0.975" THICK



90-190P
5 PACK
1215 MILD STEEL
62° ANGLE
THREADS: M18 x 1.5-6H
1.0" OD x 0.975" THICK



90-190SS
303 STAINLESS STEEL
62° ANGLE
THREADS: M18 x 1.5-6H
1.0" OD x 0.975" THICK



90-190SSP
5 PACK
303 STAINLESS STEEL
62° ANGLE
THREADS: M18 x 1.5-6H
1.0" OD x 0.975" THICK



90-191
1215 MILD STEEL
THREADS: 1/2-28UNEF



90-195
FOR OFF-ROAD RACING ONLY
1215 MILD STEEL
THREADS: M18 x 1.5-6H
1.0" OD x 1.0" THICK



90-195P
5 PACK
FOR OFF-ROAD RACING ONLY
1215 MILD STEEL
THREADS: M18 x 1.5-6H
1.0" OD x 1.0" THICK



90-195SS
303 STAINLESS STEEL
THREADS: M18 x 1.5-6H
1.0" OD x 1.0" THICK



90-195SSP
5 PACK
303 STAINLESS STEEL
THREADS: M18 x 1.5-6H
1.0" OD x 1.0" THICK



90-195SS-C
303 STAINLESS STEEL
WITH CURVE
THREADS: M18 x 1.5-6H
1.0" OD x 1.0" THICK



90-199
1215 MILD STEEL
THREADS: M18 x 1.5-6H
1.0" OD x 0.500" THICK



90-199P
5 PACK
1215 MILD STEEL
THREADS: M18 x 1.5-6H
1.0" OD x 0.500" THICK



90-199SS
303 STAINLESS STEEL
THREADS: M18 x 1.5-6H
1.0" OD x 0.500" THICK



90-199SSP
5 PACK
303 STAINLESS STEEL
THREADS: M18 x 1.5-6H
1.0" OD x 0.500" THICK



90-200
INTERNAL 8MM HEX
1215 MILD STEEL
THREADS: M18 x 1.5-6E
.875" OD x 0.510" THICK



90-200P
5 PACK
INTERNAL 8MM HEX
1215 MILD STEEL
THREADS: M18 x 1.5-6E
.875" OD x 0.510" THICK



90-200SS
INTERNAL 8MM HEX
303 STAINLESS STEEL
THREADS: M18 x 1.5-6E
.875" OD x 0.510" THICK



90-200SSP
5 PACK
INTERNAL 8MM HEX
303 STAINLESS STEEL
THREADS: M18 x 1.5-6E
.875" OD x 0.510" THICK



90-203
INTERNAL 6MM HEX
1215 MILD STEEL
THREADS: M12 x 1.25-6E
.625" OD x 0.400" THICK



90-203SS
INTERNAL 6MM HEX
303 STAINLESS STEEL
THREADS: M12 x 1.25-6E
.625" OD x 0.400" THICK



90-203SSP
5 PACK
INTERNAL 6MM HEX
303 STAINLESS STEEL
THREADS: M12 x 1.25-6E
.625" OD x 0.400" THICK



90-204
1215 MILD STEEL
THREADS: M12 x 1.25-6E
0.625" Hex, 0.570" Thick
Use with 1401F Copper Washer



90-204P
5 PACK
1215 MILD STEEL
THREADS: M12 x 1.25-6E
0.625" Hex, 0.570" Thick
Use with 1401F Copper Washer



90-204SS
303 STAINLESS STEEL
THREADS: M12 x 1.25-6E
0.625" Hex, 0.570" Thick
Use with 1401F Copper Washer



90-204SSP
5 PACK
303 STAINLESS STEEL
THREADS: M12 x 1.25-6E
0.625" Hex, 0.570" Thick
Use with 1401F Copper Washer



90-206SS
303 STAINLESS STEEL
62° ANGLE
THREADS: M18 x 1.5-6H
1.0" OD x 0.824" THICK

Disclaimer: These parts are designed for off-road use only and may not comply with local, state, or federal road regulations.

WALKER PRODUCTS • 525 WEST CONGRESS STREET • PACIFIC, MO 63069 • www.walkerproducts.com
U.S. Corporate Office: 636-257-2400 • Fax: 636-257-6211 • Customer Service: 636-257-1700 • Technical Support: 844-252-0114
U.K. Sales Office and Distribution Center: +44-121-459-8006 • saleseurope@walkerproducts.com
Oficinas para Mexico: +52-72-2402-2167 · Soporte tecnico y servicio al cliente en Mexico: +52-72-2207-8957

O2/EGTS SENSOR BUNGS & PLUGS

FUEL INJECTION • OXYGEN SENSORS • BUNGS & PLUGS • ENGINE MANAGEMENT




90-206SS-C
303 STAINLESS STEEL
62° ANGLE & CURVE
THREADS: M18 x 1.5-6H
1.0" OD x 0.824" THICK




90-207SS
303 STAINLESS STEEL
THREADS: M18 x 1.5-6H
1.0" OD x 0.55" THICK



90-207SS-C
303 STAINLESS STEEL
WITH CURVE
THREADS: M18 x 1.5-6H
1.0" OD x 0.55" THICK



90-210
1215 MILD STEEL
ID THREADS: M12 x 1.25-6E
OD THREADS: M18 x 1.5-6E
0.875" Hex, 0.510" Thick
Use with 1401F Copper Washer



90-210SS
303 STAINLESS STEEL
ID THREADS: M12 x 1.25-6E
OD THREADS: M18 x 1.5-6E
0.875" Hex, 0.510" Thick
Use with 1401F Copper Washer



90-211
1215 MILD STEEL
STEPPED
OD THREADS: M18 x 1.5-6E
0.875" x 0.510" Thick



90-212
1215 MILD STEEL, ZINC PLATED
ID THREADS: 1/8-27NPT
OD THREADS: M18 x 1.5-6E
1" Hex, 0.65" Thick
Use with 1401F Copper Washer



90-213-C
1215 MILD STEEL
WITH CURVE
THREADS: M18 x 1.5-6H
1.0" OD x 0.824" THICK



90-214SS
303 STAINLESS STEEL
THREADS: 1/8-27NPT
0.500" OD x 0.500" THICK



91-100
14mm EGTS BUNG
303 STAINLESS STEEL
THREADS: M14 x 1.5-6H



91-101
14mm EGTS BUNG
303 STAINLESS STEEL
THREADS: M14 x 1.5-6H



91-102
14mm EXTERNAL EGTS BUNG
303 STAINLESS STEEL
THREADS: M14 x 1.5-6H



91-103
14mm EGTS BUNG
303 STAINLESS STEEL
THREADS: M14 x 1.5-6H



91-104
14mm EGTS PLUG
303 STAINLESS STEEL
THREADS: M14 x 1.5-6H



91-105
14mm EGTS CAP
303 STAINLESS STEEL
THREADS: M14 x 1.5-6H



91-106
12mm EGTS BUNG
303 STAINLESS STEEL
THREADS: M12 x 1.5-6H



91-107
14mm EGTS BUNG
303 STAINLESS STEEL
THREADS: M14 x 1.5-6H



91-108
12mm EGTS BUNG
303 STAINLESS STEEL
THREADS: M12 x 1.5-6H



91-109
12mm EGTS BUNG
303 STAINLESS STEEL
THREADS: M12 x 1.5-6H



91-110
12mm EGTS BUNG
303 STAINLESS STEEL
THREADS: M12 x 1.5-6H



91-111
16mm EGTS BUNG
303 STAINLESS STEEL
THREADS: M16 x 1.5-6H



91-112
16mm EGTS CAP
303 STAINLESS STEEL
THREADS: M16 x 1.5-6H



91-113
14mm EGTS BUNG
303 STAINLESS STEEL
THREADS: M14 x 1.5-6H



91-114
20mm EGTS BUNG
303 STAINLESS STEEL
THREADS: M20 x 1.5-6H



91-115
14mm EGTS BUNG
303 STAINLESS STEEL
THREADS: M14 x 1.5-6H



91-116
12mm EGTS BUNG
303 STAINLESS STEEL
THREADS: M12 x 1.25-6H



91-117
14mm EGTS BUNG
303 STAINLESS STEEL
THREADS: M14 x 1.5-6H



91-118
12mm EGTS BUNG
303 STAINLESS STEEL
THREADS: M12 x 1.5-6H



91-119
12mm EGTS CAP
303 STAINLESS STEEL
THREADS: M12 x 1.25-6H



91-120
16mm EGTS BUNG
303 STAINLESS STEEL
THREADS: M16 x 1.5-6H



91-121
12mm EGTS BUNG
303 STAINLESS STEEL
THREADS: M12 x 1.25-6H



91-122
12mm EGTS BUNG
303 STAINLESS STEEL
THREADS: M12 x 1.25-6H



91-123
14mm EGTS BUNG
303 STAINLESS STEEL
THREADS: M14 x 1.5-6H



91-124
12mm EGTS BUNG
303 STAINLESS STEEL
THREADS: M12 x 1.25-6H



91-125
14mm EGTS BUNG
303 STAINLESS STEEL
THREADS: M14 x 1.5-6H

TEMPERATURE SENSOR BUNGS



91-301
3/8 NPT
6061 ALUMINUM



91-302
1/8 NPT
6061 ALUMINUM

Disclaimer: These parts are designed for off-road use only and may not comply with local, state, or federal road regulations.


Available in both Mild Steel & Stainless Steel

PERFECT FOR HIGH PERFORMANCE, CUSTOM & REPAIR JOBS!

Walker's bung kits feature 6 popular bungs and include plugs, gaskets and flanges. These handy kits will save busy technician's time and increase profits.

Bungs & Plugs also available in bulk quantities!

Custom Bung & Plug Kits available!



Steel Bungs, Plugs and Flanges WPA-105

Stainless Steel Bungs, Plugs and Flanges WPA-105SS

ISO 9001 CERTIFIED QUALITY SYSTEM IATF 16949

What is included:

WPA-105

PART #	QTY	DESCRIPTION
165-197	2	GASKET, 44-54mm FLANGE
165-202	2	GASKET, 38-44mm FLANGE
85-417	2	FLANGE, 38-44 mm
85-418	2	FLANGE, 44-54mm
90-164	5	STEEL BUNG 18mm
90-184	5	STEEL BUNG 18mm (STEPPED)
90-185	5	STEEL BUNG 18mm (PLUG)
90-186	5	STEEL BUNG 10mm (STEPPED)
90-187	5	STEEL BUNG 12mm (STEPPED)
90-190	5	STEEL BUNG 18mm (ANGLED)


WPA-105SS

PART #	QTY	DESCRIPTION
90-195	5	STEEL BUNG 18mm (1")
165-197	2	GASKET, 44-54mm FLANGE
165-202	2	GASKET, 38-44mm FLANGE
85-417	2	FLANGE, 38-44 mm
85-418	2	FLANGE, 44-54mm
90-164SS	5	STAINLESS STEEL BUNG 18mm
90-184SS	5	STAINLESS STEEL BUNG 18mm (STEPPED)
90-185SS	5	STAINLESS STEEL BUNG 18mm (PLUG)
90-186SS	5	STAINLESS STEEL BUNG 10mm (STEPPED)
90-187SS	5	STAINLESS STEEL BUNG 12mm (STEPPED)
90-190SS	5	STAINLESS STEEL BUNG 18mm (ANGLED)
90-195SS-C	5	STAINLESS STEEL BUNG 18mm (1") W/CURVE

WPA106

PART #	QTY	DESCRIPTION
90-187	5	STEEL BUNG 12mm (STEPPED)
90-190	5	STEEL BUNG 18mm (ANGLED)
90-195	5	STEEL BUNG 18mm (1")

Disclaimer: These parts are designed for off-road use only and may not comply with local, state, or federal road regulations.



INTAKE AIR SENSOR - LS SERIES
210-1001



COOLANT TEMPERATURE SENSOR
211-1012



IDLE AIR CONTROL MOTOR
215-1003



IDLE AIR CONTROL MOTOR - LS SERIES
215-1064




CRANKSHAFT SENSOR - LS SERIES
235-1057




CAMSHAFT SENSOR REAR - LS SERIES
235-1156



CAMSHAFT SENSOR REAR FSK - LS SERIES
235-91156




FLEX FUEL SENSOR
243-1003



FLEX FUEL SENSOR
243-1004

Disclaimer: These parts are designed for off-road use only and may not comply with local, state, or federal road regulations.



KNOCK SENSOR - LS SERIES
242-1039



KNOCK SENSOR - LS SERIES
242-1049



KNOCK SENSOR REPAIR KIT - LS SERIES
242-91039-2



MAP SENSOR ASSEMBLY 1 BAR
225-1001



MAP SENSOR ASSEMBLY 2 BAR
225-1008



MAP SENSOR ASSEMBLY 3 BAR
225-1026



MAP SENSOR ASSEMBLY 4 BAR
225-1039



MAP SENSOR BAR 1 - LS SERIES
225-1024



MAP SENSOR BAR 2 - LS SERIES
225-1100

Disclaimer: These parts are designed for off-road use only and may not comply with local, state, or federal road regulations.



MAP SENSOR BAR 3 - LS SERIES
225-1258



MASS AIR FLOW SENSOR
245-1017



MASS AIR FLOW SENSOR
245-1062



MASS AIR FLOW ASSEMBLY - LS SERIES
245-1107



MASS AIR FLOW SENSOR ONLY - LS SERIES
245-1103



THROTTLE POSITION SENSOR
200-1043



THROTTLE POSITION SENSOR - LS SERIES
200-1053



THROTTLE POSITION SENSOR - LS SERIES
200-1356



THROTTLE POSITION SENSOR FSK - LS SERIES
200-91053

Disclaimer: These parts are designed for off-road use only and may not comply with local, state, or federal road regulations.



LS WHITE CERAMIC BOOT SET
924-6008

LS BLACK CERAMIC BOOT SET
924-6009B



- Ceramic boots withstand temperatures up to 2000° F
- Silicone jacketed wire is rated at 600° F



UNIVERSAL SILICONE 90 DEGREE BOOT SET
924-6013



7.0 - 8.0 MINI STRIPPER CRIMPER
924-5001



8.5 - 9.5 MINI STRIPPER CRIMPER
924-5002



7.0-8.0 & 8.5 - 9.5 MINI STRIPPER CRIMPERS
924-5003

WALKER #	DESCRIPTION	WIRE	RESISTANCE
924-6001	LS Series - Silcone Straight Boot Short - 10"	8.8MM	500 Ω/FT
924-6002	LS Series - Silcone 90 Degree Short - 10"	8.8MM	500 Ω/FT
924-6003	LS Series - Silcone 135 Degree Short - 10"	8.8MM	500 Ω/FT
924-6004	LS Series - Silcone Straight Long - 13"	8.8MM	500 Ω/FT
924-6005	LS Series - Silcone 90 Degree Long - 13"	8.8MM	500 Ω/FT
924-6006	LS Series - Silcone 135 Degree Long - 13"	8.8MM	500 Ω/FT
924-6007	LS Series - Ceramic Straight Short, White - 10"	8.8MM	500 Ω/FT
924-6007B	LS Series - Ceramic Straight Short, Black - 10"	8.8MM	500 Ω/FT
924-6008	LS Series - Ceramic 90 Degree Short, White - 10"	8.8MM	500 Ω/FT
924-6008B	LS Series - Ceramic 90 Degree Short, Black - 10"	8.8MM	500 Ω/FT
924-6009	LS Series - Ceramic 135 Degree Short, White - 10"	8.8MM	500 Ω/FT
924-6009B	LS Series - Ceramic 135 Degree Short, Black - 10"	8.8MM	500 Ω/FT
924-6010	LS Series - Ceramic Straight Long, White - 13"	8.8MM	500 Ω/FT
924-6010B	LS Series - Ceramic Straight Long, Black - 13"	8.8MM	500 Ω/FT
924-6011	LS Series -Ceramic 90 Degree Long, White - 13"	8.8MM	500 Ω/FT
924-6011B	LS Series -Ceramic 90 Degree Long, Black - 13"	8.8MM	500 Ω/FT
924-6012	LS Series -Ceramic 135 Degree Long, White - 13"	8.8MM	500 Ω/FT
924-6012B	LS Series -Ceramic 135 Degree Long, Black - 13"	8.8MM	500 Ω/FT
924-6013	Universal Silcone 90 Degree Boot	8.8MM	500 Ω/FT
924-6014	Universal Silcone 135 Degree Boot	8.8MM	500 Ω/FT

WALKER #	DESCRIPTION	WIRE	RESISTANCE
924-6015	Universal Silcone Straight Boot	8.8MM	500 Ω/FT
924-6016	Universal Ceramic 90 Degree Boot, White	8.8MM	500 Ω/FT
924-6016B	Universal Ceramic 90 Degree Boot, Black	8.8MM	500 Ω/FT
924-6017	Universal Ceramic 135 Degree Boot, White	8.8MM	500 Ω/FT
924-6017B	Universal Ceramic 135 Degree Boot, Black	8.8MM	500 Ω/FT
924-6018	Universal Ceramic Straight Boot, White	8.8MM	500 Ω/FT
924-6018B	Universal Ceramic Straight Boot, Black	8.8MM	500 Ω/FT
924-6019	Small Block Chevy Points	8.8MM	500 Ω/FT
924-6020	Small Block Chevy HEI	8.8MM	500 Ω/FT
924-6021	Big Block Chevy Points	8.8MM	500 Ω/FT
924-6022	Big Block Chevy HEI	8.8MM	500 Ω/FT
924-6023	Small Block Ford Points	8.8MM	500 Ω/FT
924-6024	Small Block Ford HEI	8.8MM	500 Ω/FT
924-6025	Big Block Ford Points	8.8MM	500 Ω/FT
924-6026	Big Block Ford HEI	8.8MM	500 Ω/FT
924-6027	Mopar Small Block	8.8MM	500 Ω/FT
924-6028	Mopar Big Block	8.8MM	500 Ω/FT
924-6029	Mopar Hemi 426 Early	8.8MM	500 Ω/FT
924-6030	Mopar Hemi Late Model	8.8MM	500 Ω/FT

CUSTOM COLORS & SETS AVAILABLE

Disclaimer: These parts are designed for off-road use only and may not comply with local, state, or federal road regulations.

WALKER PRODUCTS • 525 WEST CONGRESS STREET • PACIFIC, MO 63069 • www.walkerproducts.com
U.S. Corporate Office: 636-257-2400 • Fax: 636-257-6211 • Customer Service: 636-257-1700 • Technical Support: 844-252-0114
U.K. Sales Office and Distribution Center: +44-121-459-8006 • saleseurope@walkerproducts.com
Oficinas para Mexico: +52-72-2402-2167 · Soporte tecnico y servicio al cliente en Mexico: +52-72-2207-8957




DISTRIBUTOR CAP
925-1019
FORD HEI STYLE V8



DISTRIBUTOR CAP
925-1014
FORD POINTS STYLE V8



DISTRIBUTOR CAP
925-1083
GM EARLY POINT STYLE V8



DISTRIBUTOR CAP
925-1005
GM HEI STYLE V8



DISTRIBUTOR CAP
925-1012
GM POINTS STYLE V8



DISTRIBUTOR CAP
925-1013
GM VORTEC STYLE V8



DISTRIBUTOR ROTOR
926-1019
FORD HEI STYLE V8



DISTRIBUTOR ROTOR
926-1015
FORD POINTS STYLE V8



DISTRIBUTOR ROTOR
926-1021
FORD POINTS STYLE V8



DISTRIBUTOR ROTOR
926-1006
GM HEI STYLE V8



DISTRIBUTOR ROTOR
926-1014
GM HEI STYLE V8



DISTRIBUTOR ROTOR
926-1012
GM LATE MODEL POINTS STYLE V8



DISTRIBUTOR ROTOR
926-1001
MOPAR V8



DISTRIBUTOR ROTOR
926-1004
MOPAR V8 MAGNUM

Disclaimer: These parts are designed for off-road use only and may not comply with local, state, or federal road regulations.

FUEL INJECTION KITS
SIEMENS & BOSCH

HIGH PERFORMANCE PRODUCTS • CARBURETION • CARBURETOR REPAIR KITS

SIEMENS FUEL INJECTION BULK REPAIR KITS



PART#	DESCRIPTION	QUANTITY WPA107	QUANTITY WPA112
1199F	UPPER INJECTOR O-RING	50	20
30-103	FUEL INJECTOR FILTER - LUCAS	50	20
30-117	FUEL INJECTOR FILTER	50	20
30-131	FUEL INJECTOR FILTER	50	20
30-88	FUEL INJECTOR FILTER	50	25
92-110	FUEL INJECTION O-RING	100	50
95-104	BOSCH MULTI-PORT 6.6MM PINTLE	50	20
95-105	WEBER MULTI-PORT PINTLE CAP-GRAY	50	20
95-158	PINTLE CAP BOSCH	50	20
G1422	INJECTOR O-RING, BROWN VITON	100	50
G1434	FUEL INJECTOR SPACER	50	50
G1440	INJECTOR O-RING - BUNA	100	50
840	FILTER INSERT & REMOVAL TOOL	1	1

BOSCH FUEL INJECTION BULK REPAIR KITS



PART#	DESCRIPTION	QUANTITY WPA108	QUANTITY WPA113
30-117	FUEL INJECTOR FILTER	50	20
30-88	FUEL INJECTOR FILTER	50	50
85-348	FUEL INJECTOR PINTLE CAP	50	50
85-354	PLASTIC PINTLE CAP	50	20
85-368	INJECTOR CLAMP	50	20
95-157	PINTLE CAP	50	20
95-158	PINTLE CAP BOSCH	50	20
95-159	PINTLE CAP	50	20
95-169	NYLON INJECTOR SPACER	50	20
95-170	FUEL INJECTOR SEAL	50	20
95-190	FORD SMALL HOLE PINTLE CAP	50	20
G1440	INJECTOR O-RING - BUNA	100	50
840	FILTER INSERT & REMOVAL TOOL	1	1

Disclaimer: These parts are designed for off-road use only and may not comply with local, state, or federal road regulations.

WALKER PRODUCTS • 525 WEST CONGRESS STREET • PACIFIC, MO 63069 • www.walkerproducts.com
U.S. Corporate Office: 636-257-2400 • Fax: 636-257-6211 • Customer Service: 636-257-1700 • Technical Support: 844-252-0114
U.K. Sales Office and Distribution Center: +44-121-459-8006 • saleseurope@walkerproducts.com
Oficinas para Mexico: +52-72-2402-2167 · Soporte tecnico y servicio al cliente en Mexico: +52-72-2207-8957

DENSO FUEL INJECTION BULK REPAIR KITS



PART#	DESCRIPTION	QUANTITY WPA109	QUANTITY WPA114
1199F	UPPER INJECTOR O-RING	50	20
1333F	FUEL INJECTION VITON O-RING	50	20
1334F	FUEL INJECTION VITON O-RING	100	20
1399F	INJECTOR SEAL - VITON	50	10
30-103	FUEL INJECTOR FILTER - LUCAS	50	10
30-117	FUEL INJECTOR FILTER	50	10
85-353	PLASTIC PINTLE CAP	50	20
92-108	FUEL INJECTION O-RING	50	10
92-110	FUEL INJECTION O-RING	50	20
92-131	FUEL INJECTION O-RING	50	20
93-117	FUEL INJECTION GROMMET	50	10
95-145	CANARY 2-HOLE CAP	50	10
95-186	GM FLEX FUEL PINTLE CAP	50	10
G1422	INJECTOR O-RING, BROWN VITON	100	50
840	FILTER INSERT & REMOVAL TOOL	1	1

DELPHI FUEL INJECTION BULK REPAIR KITS



PART#	DESCRIPTION	QUANTITY WPA110	QUANTITY WPA115
1279F	AIRBLEED SOCKET O-RING	50	20
30-129	FUEL INJECTOR FILTER	50	10
30-88	FUEL INJECTOR FILTER	50	50
30-92	FUEL INJECTOR FILTER	50	20
92-110	FUEL INJECTION O-RING	50	20
92-131	FUEL INJECTION O-RING	50	20
92-137	FUEL INJECTION O-RING	50	20
92-142	O-RING	50	20
95-126	FUEL INJECTOR END CAP 9/16	50	20
95-158	PINTLE CAP BOSCH	50	20
95-196	LATE VORTEC SPIDER CLIPS	50	20
G1435	INJECTOR O-RING	50	50
G1440	INJECTOR O-RING - BUNA	100	50
840	FILTER INSERT & REMOVAL TOOL	1	1

Disclaimer: These parts are designed for off-road use only and may not comply with local, state, or federal road regulations.



PART#	DESCRIPTION	QUANTITY WPA111	QUANTITY WPA116
30-127	M/P NISSAN PATHFINDER 6 CYL.	50	20
30-105	FILTER	50	20
30-117	FUEL INJECTOR FILTER	50	20
95-151	PINTLE CAP	50	20
92-106	FUEL INJECTION O-RING	50	20
92-119	FUEL INJECTION O-RING	50	20
92-107	FUEL INJECTION O-RING	50	20
840	FILTER INSERT & REMOVAL TOOL	1	1



ALL FUEL INJECTION KITS INCLUDE #840 FILTER INSTALLATION AND REMOVAL TOOL

Disclaimer: These parts are designed for off-road use only and may not comply with local, state, or federal road regulations.

NEW 4-Window Power Valves

- All valve flow surfaces have been radiused to reduce turbulence and maximize fuel flow
- New valve stem design provides a more aggressive response
- Improvements over competitive designs increased the working area of the diaphragm provide a quicker response
- Supports channel restriction diameters up to 0.140"
- 100% tested and calibrated in Walker's USA factory for maximum performance



WALKER #	OPENING VACUUM
70-525	2.5"
70-535	3.5"
70-545	4.5"
70-555	5.5"
70-565	6.5"
70-575	7.5"
70-585	8.5"
70-595	9.5"
70-505	10.5"

MADE IN USA

STANDARD FLOW POWER VALVES



WALKER #	H #	OPENING VACUUM
70-105	125-105	10.5″
70-125	125-25	2.5″
70-135	125-35	3.5″
70-145	125-45	4.5″
70-150	125-50	5.0″
70-155	125-55	5.5″
70-165	125-65	6.5″
70-175	125-75	7.5″
70-185	125-85	8.5″
70-195	125-95	9.5″

ALCOHOL

WALKER #	H #	OPENING VACUUM
70-287	125-145	4.5″
70-288	125-165	6.5″

HI-FLOW POWER VALVES



WALKER #	H #	OPENING VACUUM
70-205	125-1005	10.5″
70-225	125-125	2.5″
70-235	125-135	3.5″
70-245	125-145	4.5″
70-255	125-155	5.5″
70-265	125-165	6.5″
70-285	125-185	8.5″



CHECK BALL
90-146




POWER VALVE CHECK BALL SCREW
80-222




POWER VALVE CHECK BALL SEAT
85-477



POWER VALVE CHECK BALL SPRING
66-147



POWER VALVE COVER GASKET
G1623



POWER VALVE COVER GASKET
G1624



POWER VALVE GASKET
G1220



POWER VALVE GASKET
G911



POWER VALVE PLUG
70-69
H #26-36

Disclaimer: These parts are designed for off-road use only and may not comply with local, state, or federal road regulations.

NITROUS - JETS



Walker Number	Orifice Size	Walker Number	Orifice Size	Walker Number	Orifice Size	Walker Number	Orifice Size	Walker Number	Orifice Size	Walker Number	Orifice Size
120-50-014	.014″	120-50-032	.032″	120-50-050	.050″	120-50-068	.068″	120-50-086	.086″	120-50-104	.104″
120-50-015	.015″	120-50-033	.033″	120-50-051	.051″	120-50-069	.069″	120-50-087	.087″	120-50-105	.105″
120-50-016	.016″	120-50-034	.034″	120-50-052	.052″	120-50-070	.070″	120-50-088	.088″	120-50-106	.106″
120-50-017	.017″	120-50-035	.035″	120-50-053	.053″	120-50-071	.071″	120-50-089	.089″	120-50-107	.107″
120-50-018	.018″	120-50-036	.036″	120-50-054	.054″	120-50-072	.072″	120-50-090	.090″	120-50-108	.108″
120-50-019	.019″	120-50-037	.037″	120-50-055	.055″	120-50-073	.073″	120-50-091	.091″	120-50-109	.109″
120-50-020	.020″	120-50-038	.038″	120-50-056	.056″	120-50-074	.074″	120-50-092	.092″	120-50-110	.110″
120-50-021	.021″	120-50-039	.039″	120-50-057	.057″	120-50-075	.075″	120-50-093	.093″	120-50-111	.111″
120-50-022	.022″	120-50-040	.040″	120-50-058	.058″	120-50-076	.076″	120-50-094	.094″	120-50-112	.112″
120-50-023	.023″	120-50-041	.041″	120-50-059	.059″	120-50-077	.077″	120-50-095	.095″	120-50-113	.113″
120-50-024	.024″	120-50-042	.042″	120-50-060	.060″	120-50-078	.078″	120-50-096	.096″	120-50-114	.114″
120-50-025	.025″	120-50-043	.043″	120-50-061	.061″	120-50-079	.079″	120-50-097	.097″	120-50-115	.115″
120-50-026	.026″	120-50-044	.044″	120-50-062	.062″	120-50-080	.080″	120-50-098	.098″	120-50-116	.116″
120-50-027	.027″	120-50-045	.045″	120-50-063	.063″	120-50-081	.081″	120-50-099	.099″	120-50-117	.117″
120-50-028	.028″	120-50-046	.046″	120-50-064	.064″	120-50-082	.082″	120-50-100	.100″	120-50-118	.118″
120-50-029	.029″	120-50-047	.047″	120-50-065	.065″	120-50-083	.083″	120-50-101	.101″	120-50-119	.119″
120-50-030	.030″	120-50-048	.048″	120-50-066	.066″	120-50-084	.084″	120-50-102	.102″	120-50-120	.120″
120-50-031	.031″	120-50-049	.049″	120-50-067	.067″	120-50-085	.085″	120-50-103	.103″		

BRASS NITROUS - JETS



Walker Number	Orifice Size	
120-60-00	.014″	Pilot Hole - Drill to Required Size

EMULSION - JETS



Walker Number	
120-80	(Specify Orifice)

ALCOHOL - JETS



Walker #	Orifice	Walker #	Orifice	Walker #	Orifice	Walker #	Orifice	Walker #	Orifice	Walker #	Orifice
159-093B	Blank	159-140	.140″	159-157	.157″	159-176	.176″	159-192	.192″	159-213	.213″
159-80	.080″	159-144	.144″	159-158	.158″	159-177	.177″	159-193	.193″	159-221	.221″
159-116	.116″	159-146	.146″	159-161	.161″	159-180	.180″	159-196	.196″	159-228	.228″
159-120	.120″	159-148	.148″	159-166	.166″	159-184	.184″	159-199	.199″		
159-125	.125″	159-149	.149″	159-169	.179″	159-185	.185″	159-201	.201″		
159-128	.128″	159-149B	Blank	159-172	.172″	159-188	.188″	159-205	.205″		
159-136	.136″	159-154	.154″	159-173	.173″	159-189	.189″	159-209	.209″		

ALCOHOL - METERING



Walker #	Orifice	Walker #	Orifice	Walker #	Orifice	Walker #	Orifice	Walker #	Orifice	Walker #	Orifice
120-13-035b	0.035	120-13-047	0.047	120-13-056	0.056	120-13-063	0.063	120-13-070	0.07	120-13-076	0.076
120-13-042	0.042	120-13-048	0.048	120-13-058	0.058	120-13-065	0.065	120-13-071	0.071	120-13-077	0.077
120-13-043	0.043	120-13-050	0.05	120-13-059	0.059	120-13-066	0.066	120-13-072	0.072	120-13-078	0.078
120-13-044	0.044	120-13-052	0.052	120-13-060	0.06	120-13-067	0.067	120-13-073	0.073	120-13-079	0.079
120-13-045	0.045	120-13-054	0.054	120-13-061	0.061	120-13-068	0.068	120-13-074	0.074	120-13-080	0.08
120-13-046	0.046	120-13-055	0.055	120-13-062	0.062	120-13-069	0.069	120-13-075	0.075	120-13-083	0.083

Disclaimer: These parts are designed for off-road use only and may not comply with local, state, or federal road regulations.

HOLLEY® STANDARD MAIN JETS




WALKER #	H #	JET #	ORIFICE
120-40-00			BLANK
120-40-33			.033″
120-40-35			.035″
120-40-37			.037″
120-40-38			.038″
120-40-39			.039″
120-40-40	122-40	40	.040″
120-40-41	122-41	41	.041″
120-40-42	122-42	42	.042″
120-40-43	122-43	43	.043″
120-40-44	122-44	44	.044″
120-40-45	122-45	45	.045″
120-40-46	122-46	46	.046″
120-40-47	122-47	47	.047″
120-40-48	122-48	48	.048″
120-40-49	122-49	49	.048″
120-40-50	122-50	50	.049″
120-40-51	122-51	51	.050″
120-40-52	122-52	52	.052″
120-40-53	122-53	53	.052″
120-40-54	122-54	54	.053″
120-40-55	122-55	55	.054″
120-40-56	122-56	56	.055″
120-40-57	122-57	57	.056″
120-40-58	122-58	58	.057″
120-40-59	122-59	59	.058″
120-40-60	122-60	60	.060″
120-40-61	122-61	61	.060″
120-40-62	122-62	62	.061″
120-40-63	122-63	63	.062″
120-40-100	122-100	100	.128″
120-40-101	122-101	101	.129″
120-40-102	122-102	102	.132″
120-40-103	122-103	103	.135″
120-40-104	122-104	104	.139″
120-40-105	122-105	105	.144″
120-40-106	122-106	106	.145″
120-40-107	122-107	107	.148″
120-40-108	122-108	108	.145″
120-40-109	122-109	109	.165″
120-40-110	122-110	110	.167″

HOLLEY® ALCOHOL METERING JETS



WALKER #	ORIFICE
159-80	.080 ID
159-093B	.093 BLANK
159-146	.146 ID
159-148	.148 ID
159-149B	.149 BLANK
159-158	.158 ID
159-172	.172 ID
159-176	.176 ID
159-184	.184 ID
159-188	.188 ID
159-192	.192 ID
159-196	.196 ID

HOLLEY® METERING RODS



WALKER #	DIAMETER
130-43	0.043 diameter
130-45	0.045 diameter
130-50	0.050 diameter

CARTER AFB METERING ROD



Walker #	OEM #
130-5749	16-5749
130-6252	16-6252
130-6337	16-6337
130-6347	16-6347
130-6537	16-6537
130-6547	16-6547
130-6552	16-6552
130-6557	16-6557
130-6749	16-6749
130-6755	16-6755
130-6842	16-6842
130-6847	16-6847
130-6852	16-6852
130-6857	16-6857
130-7037	16-7037
130-7042	16-7042
130-7047	16-7047
130-7052	16-7052
130-7057	16-7057
130-7147	16-7147
130-7337	16-7337
130-7342	16-7342
130-7347	16-7347
130-7352	16-7352
130-7537	16-7537
130-7542	16-7542
130-7547	16-7547

CARTER JETS



WALKER #	WALKER #
120-27-030	120-27-077
120-27-030B	120-27-078
120-27-040B	120-27-080
120-27-045	120-27-082
120-27-045B	120-27-083
120-27-046	120-27-085
120-27-047	120-27-086
120-27-048	120-27-087
120-27-049	120-27-088
120-27-050	120-27-089
120-27-051	120-27-090
120-27-052	120-27-091
120-27-053	120-27-092
120-27-054	120-27-093
120-27-055	120-27-094
120-27-056	120-27-095
120-27-058	120-27-096
120-27-059	120-27-097
120-27-060	120-27-098
120-27-062	120-27-099
120-27-063	120-27-100
120-27-064	120-27-101
120-27-065	120-27-102
120-27-066	120-27-104
120-27-067	120-27-105
120-27-068	120-27-107
120-27-069	120-27-108
120-27-070	120-27-109
120-27-071	120-27-110
120-27-072	120-27-111
120-27-073	120-27-113
120-27-074	120-27-116
120-27-075	120-27-119
120-27-076	120-27-120

ORIFICE: .023″



ADJUSTABLE AIR BLEED
85-611
(Specify Orifice)



ADJUSTABLE AIR BLEED
120-7
SIZE 12-28 (Specify Orifice)



ADJUSTABLE AIR BLEED
120-8
(Specify Orifice)

ORIFICE: .021″



OD: .011″

PRESS-IN BLEED
85-607

ORIFICE: .016″



OD: .122″

PRESS-IN BLEED
85-608


ORIFICE: .020″



OD: .125″

PRESS-IN BLEED
85-613

NUT: 15/16″
ID: 1/4″ - 32



OD: 1/4″ - 32

MAIN JET EXTENSION
85-723

Disclaimer: These parts are designed for off-road use only and may not comply with local, state, or federal road regulations.

WPA-2001 - .073 - .090



WALKER #	H #	JET #	ORIFICE	QTY	WALKER #	H #	JET #	ORIFICE	QTY	WALKER #	H #	JET #	ORIFICE	QTY
120-40-73	122-73	73	.079″	4	120-40-79	122-79	79	.091″	4	120-40-85	122-85	85	.100″	4
120-40-74	122-74	74	.081″	4	120-40-80	122-80	80	.093″	4	120-40-86	122-86	86	.101″	4
120-40-75	122-75	75	.082″	4	120-40-81	122-81	81	.093″	4	120-40-87	122-87	87	.103″	4
120-40-76	122-76	76	.084″	4	120-40-82	122-82	82	.093″	4	120-40-88	122-88	88	.104″	4
120-40-77	122-77	77	.086″	4	120-40-83	122-83	83	.094″	4	120-40-89	122-89	89	.104″	4
120-40-78	122-78	78	.089″	4	120-40-84	122-84	84	.099″	4	120-40-90	122-90	90	.104″	4

WPA-2002 - .064 - .072 & .091 - .099



WALKER #	H #	JET #	ORIFICE	QTY	WALKER #	H #	JET #	ORIFICE	QTY	WALKER #	H #	JET #	ORIFICE	QTY
120-40-64	122-64	64	.064″	4	120-40-70	122-70	70	.073″	4	120-40-94	122-94	94	.108″	4
120-40-65	122-65	65	.065″	4	120-40-71	122-71	71	.076″	4	120-40-95	122-95	95	.118″	4
120-40-66	122-66	66	.066″	4	120-40-72	122-72	72	.079″	4	120-40-96	122-96	96	.118″	4
120-40-67	122-67	67	.068″	4	120-40-91	122-91	91	.105″	4	120-40-97	122-97	97	.125″	4
120-40-68	122-68	68	.069″	4	120-40-92	122-92	92	.105″	4	120-40-98	122-98	98	.125″	4
120-40-69	122-69	69	.070″	4	120-40-93	122-93	93	.105″	4	120-40-99	122-99	99	.125″	4

Disclaimer: These parts are designed for off-road use only and may not comply with local, state, or federal road regulations.



ACCELERATOR PUMP TRANSFER TUBE
85-646



BRASS PUMP DISCHARGE NEEDLE
17-66



"C" CLIP RETAINER
62-94



DIAPHRAGM COVER SCREW (OE Style)
80-239



DIAPHRAGM RETURN SPRING 50cc
66-151



DIAPHRAGM SPRING HEAVY 30cc
66-150



DIAPHRAGM SPRING LIGHT 30cc
66-149



"E" CLIP RETAINER
62-47



PUMP ARM (Early Style) STEEL 30cc
85-521



PUMP ARM 4150 50cc
85-519



PUMP ARM 4500 DOMINATOR 50cc
85-520



PUMP ARM PLASTIC 30cc
85-472



PUMP ARM STEEL 30cc
85-522



PUMP ARM STUD
22-162



PUMP ARM STUD (Early Style)
22-173



PUMP CAM
85-176
WHITE - 2 HOLES



PUMP CAM
85-439
BLACK - 2 HOLES



PUMP CAM
85-440
RED - 2 HOLES



PUMP CAM W/SHOULDERS
85-441
BLUE - 2 HOLES



PUMP CAM
85-442
ORANGE - 2 HOLES



PUMP CAM
85-443
GREEN - 2 HOLES



PUMP CAM
85-444
PINK - 3 HOLES



PUMP CAM
85-445
BROWN - 1 HOLE



PUMP CAM W/SHOULDERS
85-503
BROWN - 2 HOLES



PUMP CAM DOMINATOR W/SHOULDERS
85-504
YELLOW - 1 HOLE



PUMP CAM DOMINATOR
85-528
WHITE - 2 HOLES




PUMP CAM SCREW (OE Style)
80-223




PUMP COVER ARM 30cc
85-518



PUMP COVER ARM 50cc
85-529



PUMP COVER HOUSING ASSEMBLY 30cc
85-568




PUMP COVER HOUSING ASSEMBLY 50cc
85-570



PUMP COVER SCREW (OE Style) 30cc
80-247




PUMP DIAPHRAGM ASSEMBLY (Green GFLT) 30cc
64-473



PUMP DIAPHRAGM ASSEMBLY (Green GFLT) 50cc
64-472

Disclaimer: These parts are designed for off-road use only and may not comply with local, state, or federal road regulations.

WALKER PRODUCTS • 525 WEST CONGRESS STREET • PACIFIC, MO 63069 • www.walkerproducts.com
U.S. Corporate Office: 636-257-2400 • Fax: 636-257-6211 • Customer Service: 636-257-1700 • Technical Support: 844-252-0114
U.K. Sales Office and Distribution Center: +44-121-459-8006 • saleseurope@walkerproducts.com
Oficinas para Mexico: +52-72-2402-2167 · Soporte tecnico y servicio al cliente en Mexico: +52-72-2207-8957



PUMP DIAPHRAGM ASSEMBLY 30cc
64-326



PUMP DIAPHRAGM ASSEMBLY 50cc
64-288



PUMP DISCHARGE NOZZLE GASKET
G654



PUMP DISCHARGE SCREW (High Flow)
80-226



PUMP DISCHARGE SCREW (Standard)
80-225



PUMP NOZZLE BAR GASKET
G1622



PUMP NOZZLE BAR GASKET
G1625



PUMP NOZZLE BAR GASKET
G1717



SECONDARY PUMP CAM BRACKET 4150
85-561



SECONDARY PUMP CAM LEVER
85-505



SECONDARY PUMP CAM LEVER SCREW (OE Style)
80-224



THROTTLE SHAFT BUSHING
22-163



THROTTLE SHAFT BUSHING
22-164



TRANSFER TUBE O-RING
G794



UMBRELLA CHECK VALVE
G582

PUMP DISCHARGE NOZZLES

STRAIGHT TYPE



Walker #	H #	Hole Size
85-728	121-121	.021″
85-207	121-125	.025″
85-295	121-128	.028″
85-446	121-131	.031″
85-447	121-132	.032″
85-448	121-135	.035″
85-449	121-137	.037″
85-450	121-140	.040″
85-506	121-141	.042″
85-507	121-145	.045″
85-508	121-147	.047″
85-509	121-150	.050″
85-510	121-152	.052″

TUBE TYPE




Walker #	H #	Hole Size
85-451	121-25	.025″
85-305	121-28	.028″
85-511	121-31	.031″
85-452	121-35	.035″
85-513	121-37	.037″
85-514	121-40	.040″
85-515	121-42	.042″
85-516	121-45	.045″

ANTI-PULLOVER TYPE




Walker #	H #	Hole Size
85-530	121-225	.025″
85-531	121-228	.028″
85-532	121-231	.031″
85-533	121-237	.037″
85-534	121-240	.040″
85-535	121-242	.042″
85-536	121-245	.045″
85-537	121-247	.047″
85-538	121-250	.050″
85-539	121-252	.052″


Disclaimer: These parts are designed for off-road use only and may not comply with local, state, or federal road regulations.




BASE PLATE COMPLETE ASSEMBLY
85-717




BASE PLATE COMPLETE ASSEMBLY
85-724




BARE BASE PLATE ASSEMBLY
85-677




BARE BASE PLATE ASSEMBLY
85-580



BASE PLATE COMPLETE ASSEMBLY
85-668



BASE PLATE COMPLETE ASSEMBLY
85-673



BASE PLATE COMPLETE ASSEMBLY
85-674

Disclaimer: These parts are designed for off-road use only and may not comply with local, state, or federal road regulations.

WALKER PRODUCTS • 525 WEST CONGRESS STREET • PACIFIC, MO 63069 • www.walkerproducts.com
U.S. Corporate Office: 636-257-2400 • Fax: 636-257-6211 • Customer Service: 636-257-1700 • Technical Support: 844-252-0114
U.K. Sales Office and Distribution Center: +44-121-459-8006 • saleseurope@walkerproducts.com
Oficinas para Mexico: +52-72-2402-2167 · Soporte tecnico y servicio al cliente en Mexico: +52-72-2207-8957



"C" CLIP RETAINER
62-94



"E" CLIP RETAINER
62-47



IDLE SCREW WASHER CORK
G283



IDLE SCREW WITHOUT O-RING
16-155
4180 MUSTANG/FORD TRUCK
6-32 x 61/64"



PUMP ARM STUD
22-162



PUMP ARM STUD (Early Style)
22-173



SECONDARY RETURN SPRING PIN
85-562



SECONDARY THROTTLE ADJUSTING SCREW
80-231
M5 x .8" x 3/8"



STEEL TUBE
17-168
3/16" x 1.0"



THROTTLE BODY SCREW (OE Style)
80-248
12-24 x 3/4"



THROTTLE LEVEL BALL STUD
22-16



THROTTLE PLATE SCREW
80-236
8-32 x 3/16"



THROTTLE PLATE SCREW (OEStyle Stamped "H")
80-42
8-32 x 5/16"



THROTTLE PLATE SCREW (OE Style)
80-246
8-32 x 9/32"



THROTTLE PLATE SCREW (OE Style)
80-199
8-32 x 5/16"



THROTTLE SHAFT BUSHING - TEFLON
22-163
THICKNESS .015"



THROTTLE SHAFT BUSHING
22-164



THROTTLE STOP SCREW (NON-OE)
80-87
10-32 x 1.0"



THROTTLE STOP SCREW (OE Style)
80-230
10-32 x 1-3/32"



THROTTLE STOP SCREW SPRING
66-175



TUBE
17-194

HOLLEY THROTTLE PLATES



Walker #	Size	Stamped
85-454	1-7/16" PRIMARY	96
85-456	1-7/16" SECONDARY	103
85-655	1-7/16" PRIMARY 390HP W/.152 BYPASS	327
85-656	1-7/16" SECONDARY 390 HP W/.152 BYPASS	328
85-287	1-15/32"	259
85-461	1-1/2"	107
85-462	1-9/16"	109
85-653	1-9/16"	267
85-654	1-9/16" BRASS	268
85-652	1-9/16" STAINLESS	344
85-455	1-11/16" THIN	172
85-457	1-11/16" W/.093 BYPASS	215
85-657	1-11/16" STAINLESS	354
85-659	1-11/16" STAINLESS - 830 HP	329
85-458	1-3/4" ALUMINUM	289
85-718	1-3/4"	180
85-651	1-3/4" STAINLESS	326
85-464	2"	228
85-658	2-1/8"	342

Disclaimer: These parts are designed for off-road use only and may not comply with local, state, or federal road regulations.



ANNULAR BOOSTER
85-438



ANNULAR BOOSTER INSERT
85-498



ANNULAR BOOSTER HOUSING
85-622
Model 4500 HP



ANNULAR BOOSTER - SHORT
85-621 NEW STYLE HP, MODEL 4500
84-496 OLD STYLE, MODEL 4500



ANNULAR BOOSTER - TALL
85-493
MODEL 4500



BOOSTER STAKE TUBES
85-500



DOMINATOR BOOSTER INSERT
85-730



DOUBLE-STEP DOWN (DOG) LEG BOOSTER
85-501 ORIFICE .180"
85-502 ORIFICE .160"
85-623 ORIFICE .170"



DOWN (DOG) LEG BOOSTER
85-436 ORIFICE .160"
85-460 ORIFICE .140"



STRAIGHT LEG BOOSTER
85-435 ORIFICE .135"
85-490 ORIFICE .144"
85-617 ORIFICE .125"



STRAIGHT LEG BOOSTER WITH SMALL SKIRT
85-491
ORIFICE .140"

Disclaimer: These parts are designed for off-road use only and may not comply with local, state, or federal road regulations.



CHOKE HOUSING GASKET
G282




CHOKE HOUSING TO BODY SCREW (OE Style)
80-243
8-32 x 1-5/32"



CHOKE PLATE
85-661
MODEL 2300 & 4500



CHOKE PLATE
85-662
MODEL 4781-1



CHOKE PLATE
85-663
MODEL 3310-4 & 4779-6



CHOKE PLATE
85-664
MODEL 4412-2



CHOKE PLATE
85-665
MODEL 1050




CHOKE PULL-OFF
101-543




CHOKE SHAFT (For Screw in Plate)
20-95




CHOKE SHAFT (For Slide in Plate)
20-96



CHOKE STOVE GASKET
G1218




CHOKE THERMOSTAT COVER GASKET
243F




CHOKE THERMOSTAT COVER GASKET
G97-1



CHOKE THERMOSTAT COVER GASKET
G243




CHOKE THERMOSTAT COVER GASKET
G509



CHOKE THERMOSTAT COVER GASKET
G918



CHOKE THERMOSTAT COVER GASKET
G1320



CHOKE THERMOSTAT COVER GASKET
G1336



CHOKE & THROTTLE PLATE SCREW (OE Style)
80-5
6-32 x 1/4"



ELECTRIC CHOKE KICKDOWN LEVER
85-471



ELECTRIC CHOKE THERMOSTAT
102-1082




FAST IDLE CAM
85-459



FAST IDLE CAM PLATE SCREW (OE Style)
80-245
8-32 x 1-7/16"


Disclaimer: These parts are designed for off-road use only and may not comply with local, state, or federal road regulations.

ELECTRIC CHOKE KIT
HOLLEY 45-223




Walker #	Description
G282	CHOKE HOUSING GASKET (QTY 2)
G918	CHOKE THERMOSTAT COVER GASKET
62-46	ROD RETAINER
85-78	THERMOSTAT COVER RETAINER
80-243	CHOKE HOUSING TO BODY SCREW (QTY 3)
80-45	CHOKE CONTROL WIRE BRACKET SCREW (QTY 3)
80-234	FAST IDLE CAM LEVER SCREW
85-471	ELECTRIC CHOKE KICK DOWN LEVER
85-630	CHOKE HOUSING ASSEMBLY
66-51	FAST IDLE CAM LEVER ADJUSTMENT SCREW SPRING
R152	CONVERTS MECHANICAL TO ELECTRIC CHOKE
102-1082	ELECTRIC CHOKE THERMOSTAT
85-666	WIRE & TERMINAL ASSEMBLY
85-667	WIRE ASSEMBLY
5/32 HOSE	VACUUM HOSE

ELECTRIC CHOKE KIT
HOLLEY 45-224



Walker #	Description
83-3	LEAD BALL PLUG
17-193	VACUUM TEE CONNECTOR
G918	CHOKE THERMOSTAT COVER GASKET
62-46	ROD RETAINER
85-78	THERMOSTAT COVER RETAINER
80-243	CHOKE HOUSING TO BODY SCREW (QTY 3)
80-45	CHOKE CONTROL WIRE BRACKET SCREW (QTY 3)
80-234	FAST IDLE CAM LEVER SCREW
80-221	CHOKE HOUSING SCREW (QTY 3)
85-612	CHOKE HOUSING SPACER (QTY 3)
85-471	ELECTRIC CHOKE KICK DOWN LEVER
85-631	CHOKE HOUSING ASSEMBLY
66-51	FAST IDLE CAM LEVER ADJUSTMENT SCREW SPRING
R152	CONVERTS MECHANICAL TO ELECTRIC CHOKE
102-1082	WIRE & TERMINAL ASSEMBLY
85-666	WIRE & TERMINAL ASSEMBLY
1/8 HOSE	VACUUM HOSE

MANUAL CHOKE KIT
HOLLEY 45-225



Walker #	Description
83-3	LEAD BALL PLUG
81-2	COVER NUT
80-245	FAST IDLE CAM PLATE SCREW (QTY 3)
80-45	CHOKE CONTROL WIRE BRACKET SCREW
85-614	CHOKE LEVER & SWIVEL
85-615	FAST IDLE CAM LEVER
85-616	FAST IDLE CAM LEVER P/U LEVER
85-628	CHOKE CONTROL BRACKET CLAMP
85-629	CHOKE WIRE BRACKET
85-632	BACK-UP PLATE ASSEMBLY
85-633	FAST IDLE CAM & PLATE ASSEMBLY
85-634	CHOKE WIRE BRACKET
66-181	FAST IDLE CAM LEVER SPRING
G600-4	VACUUM TUBE CAP (QTY 2)


Disclaimer: These parts are designed for off-road use only and may not comply with local, state, or federal road regulations.




PRIMARY DOUBLE PUMP BOWL W/GLASS WINDOW
85-752




PRIMARY FLOAT BOWL (CENTER HUNG)
85-523
4150/DOUBLE PUMPER



PRIMARY FLOAT BOWL (MARINE)
85-712




PRIMARY FLOAT BOWL (SIDE HUNG)
85-582
MODEL 4160




PRIMARY FLOAT BOWL DOMINATOR (DUAL INLET)
85-525




SECONDARY DOUBLE PUMP BOWL W/GLASS WINDOW
85-746



SECONDARY FLOAT BOWL (CENTER HUNG)
85-524
MODEL 4150/DOUBLE PUMPER




SECONDARY FLOAT BOWL (CENTER HUNG)
85-542
MODEL 4160




SECONDARY FLOAT BOWL DICHROMATE
85-735

Disclaimer: These parts are designed for off-road use only and may not comply with local, state, or federal road regulations.




SECONDARY FLOAT BOWL DOMINATOR (DUAL INLET)
85-526



SECONDARY FUEL BOWL ASSEMBLY W/GLASS WINDOW
85-747



VACUUM SECONDARY FLOAT BOWL (DUAL INLET)
85-527




FUEL BOWL SCREW WASHER
G1194
RUBBER COATED ALUMINUM



FUEL BOWL SCREW
25-23
12-24 x 2″



FUEL BOWL SCREW
25-24
12-24 x 1-3/8″




FLOAT BOWL SCREW GASKET
G110
G1733 - NYLON



FUEL BOWL VENT SCREEN
85-638



FUEL FITTING GASKET
G1126
TEFLON




FUEL FITTING WASHER
G778
RUBBER COATED ALUMINUM



FUEL FITTING INLET
90-10




FUEL FITTING INLET
90-140




FUEL FITTING INLET
90-72




FUEL FITTING INLET - (OE Style)
90-178



FUEL INLET FITTING GASKET
G1206
RUBBER COATED ALUMINUM




FUEL INLET FITTING GASKET
G49



FUEL INLET FITTING GOVERNOR
90-99



3/8″ FUEL INLET FITTING HOSE
90-175



5/16″ FUEL INLET FITTING HOSE
90-176



FUEL INLET FITTING WASHER
G1125



FUEL INLET FITTING WASHER
G418



FUEL INLET PLUG
90-174



FUEL INLET SWIVEL FITTING
90-163

Disclaimer: These parts are designed for off-road use only and may not comply with local, state, or federal road regulations.



FUEL INLET WASHER
G1502
RUBBER COATED ALUMINUM




FUEL LEVEL SIGHT PLUG
85-517



FUEL LEVEL SIGHT PLUG GASKET
670F
COPPER



FUEL LEVEL SIGHT PLUG GASKET
G1140
RUBBER COATED ALUMINUM



FUEL LEVEL SIGHT PLUG GASKET
G59
FIBER



FUEL TRANSFER TUBE
85-647 LENGTH 5-1/2″
85-648 LENGTH 6-3/16″
85-649 LENGTH 7″



FUEL TRANSFER TUBE SEAL
85-624



HELICAL INSERT
86-1005
SIZE 12-24



NEEDLE & SEAT ADJUSTING NUT
85-338



NEEDLE & SEAT SCREW
85-337



PLAIN INSTALLING TOOL
86-3005
SIZE 12-24




PRIMARY FUEL BOWL SCREW
25-7
SIZE 12-24



PRIMARY FUEL INLET BAFFLE
85-636



PUMP STEM SEAL O-RING
G272



QUICK CHANGE BOWL JET PLUG GASKET
397F



SECONDARY FUEL BOWL SCREW
25-20
12-24 x 1-78″



SECONDARY FUEL INLET BAFFLE
85-637



SEE THRU FUEL LEVEL SIGHT PLUG
85-606



TAP
86-2005
SIZE 12-24




VENT VALVE SEAL
85-601

Disclaimer: These parts are designed for off-road use only and may not comply with local, state, or federal road regulations.



BRASS FLOAT (CENTER HUNG)
100-102



BRASS FLOAT (SIDE HUNG)
100-103



FLOAT BRACKET
85-627



FLOAT BRACKET SCREW (OE Style)
80-237
6-32 x 9/16"




FLOAT BUMPER SPRING (CENTER HUNG)
66-179




FLOAT PIN
32-32



NITROPHYL FLOAT (CENTER HUNG)
100-79




NITROPHYL FLOAT (SIDE HUNG)
100-98



NOTCHED NITROPHYL FLOAT
(Use with 85-723 Jet Extension)
100-153



PLASTIC FLOAT (CENTER HUNG)
100-149




PRIMARY FLOAT SPRING (SIDE HUNG)
66-75




SECONDARY FLOAT SPRING (SIDE HUNG)
66-180


Disclaimer: These parts are designed for off-road use only and may not comply with local, state, or federal road regulations.




AIR CLEANER GASKET
G1857
STANDARD MATERIAL - BLACK




AIR CLEANER GASKET
G702 STANDARD MATERIAL - BLACK
G702BL NON-STICK - BLUE




AIR CLEANER GASKET - DOMINATOR
G1889
STANDARD MATERIAL - BLACK




AIR HORN GASKET
G1620 STANDARD MATERIAL - BLACK
G1620BL NON-STICK - BLUE




AIR HORN GASKET
G1621 STANDARD MATERIAL - BLACK
G1621BL NON-STICK - BLUE




AIR HORN GASKET
G1780
STANDARD MATERIAL - BLACK




FUEL BOWL GASKET
G1046 NITRILE - BLACK
G1046BL NON-STICK - BLUE




FUEL BOWL GASKET
G1056 NITRILE - BLACK
G1056BL NON-STICK - BLUE




FUEL BOWL GASKET
G1063 NITRILE - BLACK
G1063BL NON-STICK - BLUE



FUEL BOWL GASKET
G1329 NITRILE - BLACK
G1329BL NON-STICK - BLUE




AIR HORN GASKET
G1863 NITRILE - BLACK
G1863BL NON-STICK - BLUE




TRI POWER AIR CLEANER GASKET
G1812
BUNA RUBBER - BLACK


Disclaimer: These parts are designed for off-road use only and may not comply with local, state, or federal road regulations.




FLANGE GASKET
G669 - THICKNESS 1/32"
G1468 - THICKNESS 3/64"
G1742 - THICKNESS 9/64"
MODEL 4150/4160




FLANGE GASKET
G765
MODEL 2300



FLANGE GASKET DOMINATOR
G954




FLANGE GASKET
G999




HOLE SIZE:
1-11/16"


FLANGE GASKET
G1064
MODEL 4160




FLANGE GASKET
G1407 STANDARD MATERIAL - BLACK
G1407BL NON-STICK - BLUE



FLANGE GASKET
G1646




FLANGE GASKET DOMINATOR
G1800




FLANGE GASKET
G1881 STANDARD MATERIAL - BLACK
G1881BL NON-STICK - BLUE


Disclaimer: These parts are designed for off-road use only and may not comply with local, state, or federal road regulations.




METERING BLOCK GASKET
G667 NITRILE - BLACK
G667BL NON-STICK - BLUE




METERING BLOCK GASKET
G730 NITRILE - BLACK
G730BL NON-STICK - BLUE




METERING BLOCK GASKET
G732 NITRILE - BLACK
G732BL NON-STICK - BLUE




METERING BLOCK GASKET
G758 NITRILE - BLACK
G758BL NON-STICK - BLUE




METERING BLOCK GASKET
G761 NITRILE - BLACK
G761BL NON-STICK - BLUE




METERING BLOCK GASKET
G792 NITRILE - BLACK
G792BL NON-STICK - BLUE




METERING BLOCK GASKET
G851 NITRILE - BLACK
G851BL NON-STICK - BLUE




METERING BLOCK GASKET
G1047 NITRILE - BLACK
G1047BL NON-STICK - BLUE




METERING BLOCK GASKET
G1057 NITRILE - BLACK
G1057BL NON-STICK - BLUE



METERING BLOCK GASKET
G1062 NITRILE - BLACK
G1062BL NON-STICK - BLUE




METERING BLOCK GASKET
G1070 NITRILE - BLACK
G1070BL NON-STICK - BLUE




METERING BLOCK GASKET
G1156 NITRILE - BLACK
G1156BL NON-STICK - BLUE


Disclaimer: These parts are designed for off-road use only and may not comply with local, state, or federal road regulations.



METERING BLOCK GASKET
G1392 NITRILE - BLACK
G1392BL NON-STICK - BLUE




METERING BLOCK GASKET
G1394 NITRILE - BLACK
G1394BL NON-STICK - BLUE




METERING BLOCK GASKET
G1806 NITRILE - BLACK




METERING BLOCK GASKET
G1934 NITRILE - BLACK



METERING BLOCK GASKET
G2020 NITRILE - BLACK
G2020BL NON-STICK - BLUE




METERING BLOCK GASKET
G2021 NITRILE - BLACK
G2021BL NON-STICK - BLUE



METERING BLOCK GASKET
G2022 NITRILE - BLACK
G2022BL NON-STICK - BLUE


Disclaimer: These parts are designed for off-road use only and may not comply with local, state, or federal road regulations.

BORE: 1-11/16"




THROTTLE BODY GASKET
G694 STANDARD MATERIAL - BLACK
G694BL NON-STICK - BLUE


BORE: 1-3/4"



THROTTLE BODY GASKET
G739 STANDARD MATERIAL - BLACK
G739BL NON-STICK - BLUE




THROTTLE BODY GASKET
G774 STANDARD MATERIAL - BLACK
G774BL NON-STICK - BLUE
MODEL 2300




THROTTLE BODY GASKET
G775 STANDARD MATERIAL - BLACK
MODEL 2300

BORE: 1-7/16"




THROTTLE BODY GASKET
G843 STANDARD MATERIAL - BLACK
G843BL NON-STICK - BLUE


BORE: 1-9/16"




THROTTLE BODY GASKET
G844 STANDARD MATERIAL - BLACK
G844BL NON-STICK - BLUE




THROTTLE BODY GASKET
G905 STANDARD MATERIAL - BLACK




THROTTLE BODY GASKET
G1034 STANDARD MATERIAL - BLACK



THROTTLE BODY GASKET
G1048 STANDARD MATERIAL - BLACK
G1048BL NON-STICK - BLUE
MODEL 4180




THROTTLE BODY GASKET
G1146 STANDARD MATERIAL - BLACK
G1146BL NON-STICK - BLUE
MODEL 4165




THROTTLE BODY GASKET
G1208 STANDARD MATERIAL - BLACK
G1208BL NON-STICK - BLUE
MODEL 4412

BORE: 1-9/16"




THROTTLE BODY GASKET
G1364 STANDARD MATERIAL - BLACK
G1364BL NON-STICK - BLUE



BORE: 1-7/16"

THROTTLE BODY GASKET
G1861 STANDARD MATERIAL - BLACK
G1861BL NON-STICK - BLUE




BORE: 1-9/16"

THROTTLE BODY GASKET
G1862 STANDARD MATERIAL - BLACK
G1862BL NON-STICK - BLUE


Disclaimer: These parts are designed for off-road use only and may not comply with local, state, or federal road regulations.




HP-MAIN BODY
85-713 MODEL 950 **85-731** MODEL 750
85-714 MODEL 1000 **85-734** MODEL 650




HP-MAIN BODY
85-725 DOMINATOR 1050
85-726 DOMINATOR 1150




MAIN BODY
85-699
MODEL 4777




MAIN BODY
85-701
MODEL 7448




MAIN BODY
85-704
MODEL 3310



MAIN BODY
85-707
MODEL 4779




MAIN BODY
85-720
MODEL 4412




MAIN BODY
85-722
MODEL 4779


Disclaimer: These parts are designed for off-road use only and may not comply with local, state, or federal road regulations.




4150 HP PRIMARY & SECONDARY BARE MACHINED METERING BLOCK
85-470



4500 BARE MACHINED METERING BLOCK
85-546



1850 PRIMARY METERING BLOCK
85-678



4779 BARE MACHINED METERING BLOCK
85-683




3310 PRIMARY METERING BLOCK
85-688



7448 BARE ASSEMBLY METERING BLOCK
85-692



4412 BARE MACHINED METERING BLOCK WITH PLUGS
85-708



4412 BARE ASSEMBLY METERING BLOCK
85-727



AIR BLEED RESTRICTOR
85-608



ALUMINUM RIVET PLUG
0-106



CHOKE PULLDOWN ADJUSTMENT PLUG
0-121



DRIVE SCREW (OE Style)
80-228



EMULSION TUBE
17-196



FUEL BOWL VENT BAFFLE
85-635



IDLE CHANNEL RESTRICTOR
85-607



IDLE MIXTURE SCREW
16-27
8-32 X .927″



IDLE MIXTURE SCREW (OE Style)
16-173
8-32 X .870″



IDLE NEEDLE CONCEALMENT PLUG
0-122



IDLE SCREW WASHER (CORK)
G283



4500 DOMINATOR IDLE WELL TUBE
17-165



4500 HP IDLE WELL TUBE
17-195




LEAD BALL PLUG
83-1



METERING BLOCK PLUG
0-137



METERING BODY BENT BAFFLE
85-626



METERING PLATE BACK-UP PLATE
85-599



SECONDARY METERING PLATE SCREW (OE Style)
80-235
8-32 X .536″




STEEL TUBE
17-168

Disclaimer: These parts are designed for off-road use only and may not comply with local, state, or federal road regulations.



NEEDLE & SEAT ADJUSTING NUT
85-338



NEEDLE & SEAT ADJUSTING NUT WASHER
G1360



NEEDLE & SEAT ASSEMBLY
31-596



NEEDLE & SEAT ASSEMBLY
31-597



NEEDLE & SEAT ASSEMBLY VITRON NEEDLE
31-689



NEEDLE & SEAT ASSEMBLY VITRON NEEDLE
31-690



NEEDLE & SEAT ASSEMBLY VITRON NEEDLE
31-738



NEEDLE & SEAT ASSEMBLY STAINLESS STEEL NEEDLE
31-761



NEEDLE & SEAT ASSEMBLY STAINLESS STEEL NEEDLE
31-762



NEEDLE & SEAT ASSEMBLY STAINLESS STEEL NEEDLE
31-763



NEEDLE & SEAT ASSEMBLY VITRON NEEDLE
31-773



NEEDLE & SEAT ASSEMBLY STAINLESS STEEL NEEDLE
31-736
ALCOHOL



NEEDLE & SEAT ASSEMBLY STAINLESS STEEL NEEDLE
31-737
ALCOHOL



NEEDLE & SEAT ASSEMBLY
31-649
EXTRA THREADS



NEEDLE & SEAT ASSEMBLY
31-676
EXTRA THREADS



NEEDLE & SEAT ASSEMBLY
31-650
EXTRA & OVERSIZED THREADS



NEEDLE & SEAT ASSEMBLY
31-764
SPRING LOADED, OFF ROAD




NEEDLE & SEAT LOCK SCREW WASHER
G1355



NEEDLE & SEAT SCREW
85-337



NEEDLE & SEAT WASHER, NYLON
G1718



NEEDLE & SEAT WASHER, NYLON
G1719



SECONDARY TUBE O-RING
G273

Disclaimer: These parts are designed for off-road use only and may not comply with local, state, or federal road regulations.



CHOKE CONTROL BRACKET CLAMP
85-628



CHOKE CONTROL WIRE BRACKET SCREW (OE Style)
80-45
8-32 x 1/2"



CHOKE HOUSING GASKET
G282



CHOKE WIRE BRACKET
85-629



DIAPHRAGM COVER SCREW (OE Style)
80-239
8-32 X 9/16"



DIAPHRAGM HOUSING TO BODY SCREW (OE Style)
80-242
8-32 X 1"



"E" CLIP RETAINER
62-45



8/32" NUT
81-2



PLUNGER WASHER
85-23



SECONDARY PUMP CAM LEVEL SCREW (OE Style)
80-224
10-32 x 5/16"




SECONDARY DIAPHRAGM COVER RETAINER O-RING
G1860



SECONDARY DIAPHRAGM LEVER
85-642



GOVERNOR DIAPHRAGM ASSEMBLY
64-328



SECONDARY DIAPHRAGM ASSEMBLY
64-170



SECONDARY DIAPHRAGM ASSEMBLY
64-197



SECONDARY DIAPHRAGM ASSEMBLY
64-236



SECONDARY DIAPHRAGM ASSEMBLY
64-238



SECONDARY DIAPHRAGM ASSEMBLY, TRI-POWER
64-487




SECONDARY DIAPHRAGM COVER
85-645



SECONDARY DIAPHRAGM COVER
85-650



SECONDARY DIAPHRAGM SPRING
66-152
LIGHTEST LOAD, COLOR: WHITE



SECONDARY DIAPHRAGM SPRING
66-153
LIGHTER LOAD, COLOR: YELLOW



SECONDARY DIAPHRAGM SPRING
66-154
LIGHT LOAD, COLOR: YELLOW



SECONDARY DIAPHRAGM SPRING
66-155
MEDIUM LIGHT LOAD, COLOR: PURPLE



SECONDARY DIAPHRAGM SPRING
66-156
MEDIUM LOAD, COLOR: PLAIN



SECONDARY DIAPHRAGM SPRING
66-157
MEDIUM HEAVY LOAD, COLOR: BROWN



SECONDARY DIAPHRAGM SPRING
66-158
HEAVY LOAD, COLOR: BLACK

Disclaimer: These parts are designed for off-road use only and may not comply with local, state, or federal road regulations.



"E" CLIP RETAINER
62-47



CHOKE DIAPHRAGM LINK
R144
MODEL 4165



CHOKE ROD
R145
MODEL 4150



CHOKE ROD
R147
MODEL 4165, 4175



CHOKE ROD, CONVERTS MECHANICAL TO ELECTRIC CHOKE
R152



CHOKE ROD, ELECTRIC
R53
MODEL 2300, 4160



CONNECTING ROD, MECHANICAL SECONDARY
50-54
MODEL 4150



CONNECTING ROD, MECHANICAL SECONDARY
R149
MODEL 4011



CONNECTING ROD, SECONDARY
R151



CONNECTING ROD, VACUUM SECONDARY
50-30



CONNECTING ROD, VACUUM SECONDARY
R142
MODEL 4150



CONNECTING ROD, VACUUM SECONDARY
R148
MODEL 4175



COTTER PIN
32-11



DOMINATOR THROTTLE LEVER CONNECTING LINK
R143



PUMP ARM STUD
22-162



PUMP ARM STUD, EARLY STYLE
22-173



STAINLESS STEEL WASHER
82-15




THROTTLE SHAFT BUSHING
22-164

Disclaimer: These parts are designed for off-road use only and may not comply with local, state, or federal road regulations.

WALKER PRODUCTS • 525 WEST CONGRESS STREET • PACIFIC, MO 63069 • www.walkerproducts.com
U.S. Corporate Office: 636-257-2400 • Fax: 636-257-6211 • Customer Service: 636-257-1700 • Technical Support: 844-252-0114
U.K. Sales Office and Distribution Center: +44-121-459-8006 • saleseurope@walkerproducts.com
Oficinas para Mexico: +52-72-2402-2167 · Soporte tecnico y servicio al cliente en Mexico: +52-72-2207-8957



FAST IDLE CAM LEVER
85-615



FAST IDLE CAM LEVER SPRING
66-181



FAST IDLE CAM PICK UP LEVER
85-616



LINKAGE GUIDE BUSHING
85-609
MODEL 4500



LINKAGE PIVOT SCREW
80-233
1/4"-10 x 3-1/4"



PRIMARY THROTTLE LEVER 1:1
85-603
MODEL 4500



PRIMARY THROTTLE LEVER PROGRESSIVE
85-604
MODEL 4500



PRIMARY THROTTLE LEVER SOFT PROGRESSIVE
85-605
MODEL 4500



PRIMARY THROTTLE SHAFT
20-94
MODEL 4150




PRIMARY THROTTLE SHAFT
20-97
MODEL 3300, WITH FORD KICK DOWN LEVER



PRIMARY THROTTLE SHAFT
20-98
MODEL 1850, WITH FORD KICK DOWN LEVER



PRIMARY THROTTLE SHAFT SPRING
66-182
MODEL 4500



PRIMARY THROTTLE SHAFT SPRING
66-183
MODEL 4500



SECONDARY PUMP CAM LEVER SCREW (OE Style)
80-224
10-32 x 5/16"



SECONDARY THROTTLE LEVER
85-643
MODEL 4500



SECONDARY THROTTLE SHAFT
20-93
MODEL 4150



SECONDARY THROTTLE SHAFT SPRING
66-173



SHAFT BUSHING
22-134



STAINLESS STEEL WASHER
82-16
MODEL 4500




THROTTLE LEVER
85-644
MODEL 4500



THROTTLE LEVER SCREW
80-232
10-32 x 7/8"



THROTTLE SHAFT BUSHING - TEFLON
22-163



THROTTLE SHAFT BUSHING - TEFLON
22-31



THROTTLE SHAFT BUSHING - TEFLON
G1127



THROTTLE SHAFT BUSHING - TEFLON
G1128



THROTTLE SHAFT BUSHING - TEFLON
G540

Disclaimer: These parts are designed for off-road use only and may not comply with local, state, or federal road regulations.



BOWL VENT TUBE
17-72



BOWL VENT TUBE
17-167



BOWL VENT TUBE, BRASS
17-43



BOWL VENT TUBE, TRUCK AVENGER
85-741



CHOKE PISTON PLUG
85-54



CHOKE PULLDOWN ADJUSTMENT PLUG
0-121



CHOKE ROD HOLE BLOCK-OFF PLATE
85-660



CHOKE SHAFT
85-760



DISCHARGE TUBE
17-198



GOVERNOR AIR JET
120-8
10-32 THREAD



IDLE NEEDLE CONCEALMENT PLUG
0-122



IDLE PLUG, ALUMINUM
0-112



"J" TUBE MARINE APPLICATION
85-453



DOMINATOR "J" TUBE MARINE APPLICATION
85-732



METERING BLOCK PLUG
0-137



MID RANGE TUBE
17-164



PASSAGE TUBE, BRASS
17-59



PLASTIC THROTTLE LEVER GROMMET BUSHING
22-17



RIVET PLUG, ALUMINUM
0-106



THROTTLE SHAFT CUP
0-126




THROTTLE SHAFT PLUG
85-206




VENT TUBE
17-7

Disclaimer: These parts are designed for off-road use only and may not comply with local, state, or federal road regulations.



AIR CLEANER GASKET

G702	BLACK	STANDARD
G702BL	BLUE	NON-STICK
G702RD	RED	NON-STICK



BOWL COVER GASKET
G1325



BOWL VENT VALVE
G679



BRASS FLOAT
100-94



BRASS PUMP CHECK
17-67



CHECK BALL
90-146




CHOKE COVER CAP
40-4



CHOKE COVER GASKET
G1115




CHOKE COVER RETAINER
85-203




CHOKE THERMOSTAT
102-1081



CHOKE THERMOSTAT SPRING
66-32




FLANGE GASKET
G1268



FLANGE GASKET

G1407	BLACK	STANDARD
G1407BL	BLUE	NON-STICK



FLANGE GASKET
G1646



FLUORELASTOMER PUMP ASSEMBLY
64-464



FLOAT PIN
32-27



FLOAT PIN
32-32



FLUORELASTOMER PUMP PLUNGER CUP
64-332

Disclaimer: These parts are designed for off-road use only and may not comply with local, state, or federal road regulations.

WPA-1479 METERING ROD JET KIT AFB #1405



PART #	DESCRIPTION	QTY	PART #	DESCRIPTION	QTY
120-27-089	METERING JET	2	130-7352	METERING ROD	2
120-27-092	METERING JET	2	130-7547	METERING ROD	2
120-27-098	METERING JET	2	62-56P-10	BAGGED COMPONENTS- 10 PACK	1
120-27-101	METERING JET	2	66-128	SPRING	2
120-27-104	METERING JET	2	66-184	SPRING, METERING BLUE	2
130-6842	METERING ROD	2	66-185	SPRING, METERING YELLOW	2
130-6852	METERING ROD	2	66-186	SPRING, METERING ORANGE	2
130-7052	METERING ROD	2	66-187	SPRING, METERING PINK	2
130-7347	METERING ROD	2	66-188	SPRING, METERING SILVER	2

WPA-1480 METERING ROD JET KIT AFB #1407, 1410, 1412 & 1413




PART #	DESCRIPTION	QTY	PART #	DESCRIPTION	QTY
120-27-101	METERING JET	2	130-7347	METERING ROD	2
120-27-104	METERING JET	2	130-7352	METERING ROD	2
120-27-107	METERING JET	2	62-56P-10	BAGGED COMPONENTS- 10 PACK	1
120-27-110	METERING JET	2	66-128	SPRING	2
120-27-113	METERING JET	2	66-184	SPRING, METERING BLUE	2
120-27-116	METERING JET	2	66-185	SPRING, METERING YELLOW	2
130-6537	METERING ROD	2	66-186	SPRING, METERING ORANGE	2
130-6547	METERING ROD	2	66-187	SPRING, METERING PINK	2
130-6847	METERING ROD	2	66-188	SPRING, METERING SILVER	2

WPA-1486 METERING ROD JET KIT AFB #1403 & 1404



PART #	DESCRIPTION	QTY	PART #	DESCRIPTION	QTY
120-27-083	METERING JET	2	130-6852	METERING ROD	2
120-27-089	METERING JET	2	62-56P-10	BAGGED COMPONENTS- 10 PACK	1
120-27-092	METERING JET	2	66-128	SPRING	2
120-27-095	METERING JET	2	66-184	SPRING, METERING BLUE	2
120-27-098	METERING JET	2	66-185	SPRING, METERING YELLOW	2
130-5749	METERING ROD	2	66-186	SPRING, METERING ORANGE	2
130-6252	METERING ROD	2	66-187	SPRING, METERING PINK	2
130-6347	METERING ROD	2	66-188	SPRING, METERING SILVER	2
130-6755	METERING ROD	2			

WPA-1487 METERING ROD JET KIT AFB #1406



PART #	DESCRIPTION	QTY	PART #	DESCRIPTION	QTY
120-27-095	METERING JET	2	66-128	SPRING	2
120-27-098	METERING JET	2	66-184	SPRING, METERING BLUE	2
120-27-101	METERING JET	2	66-185	SPRING, METERING YELLOW	2
130-7037	METERING ROD	2	66-186	SPRING, METERING ORANGE	2
130-7342	METERING ROD	2	66-187	SPRING, METERING PINK	2
130-7347	METERING ROD	2	66-188	SPRING, METERING SILVER	2
62-56P-10	BAGGED COMPONENTS- 10 PACK	1			

Disclaimer: These parts are designed for off-road use only and may not comply with local, state, or federal road regulations.



FUEL FILTER
30-74



FUEL FITTING BANJO ASSEMBLY
90-177



FUEL INLET FITTING WASHER
G1207




HIGH PERFORMANCE FLUORELASTOMER PUMP ASSEMBLY W/HEAVY DUTY SPRING
64-488



HIGH SPEED PASSAGE PLUG
0-50



HOT AIR PASSAGE GASKET - Rubber
G1266



IDLE ADJUSTMENT SCREW SPRING
66-58



IDLE SCREW
16-29
10-32 X 1.452″



IDLE SCREW
16-59
10-32 X 1.920″



IDLE SCREW
16-168
10-32 X 1.685″



PUMP PLUNER SPRING
66-129



PUMP SHAFT SEAL
64-430



ROD RETAINER
62-56



PUMP DISCHARGE BALL SPRING
66-146



PUMP JET HOUSING GASKET
G379



ROD RETAINER
62-85




SELF LOCKING RETAINER
82-13




STEP ROD RETAINER SPRING
66-128



VACUUM TUBE CAP
G652



SPRING - BLUE
66-184



SPRING - YELLOW
66-185



SPRING - ORANGE
66-186




SPRING - PINK
66-187




SPRING - SILVER
66-188

Disclaimer: These parts are designed for off-road use only and may not comply with local, state, or federal road regulations.



VENTURI CLUSTER GASKET
G349




VENTURI CLUSTER GASKET
G633

31-512 VITON NEEDLE & SEAT ASSEMBLY



VITON NEEDLE & SEAT ASSEMBLY



NEEDLE & SEAT GASKET - Fiber




NEEDLE

31-730 VITON NEEDLE & SEAT ASSEMBLY



VITON NEEDLE & SEAT ASSEMBLY



NEEDLE & SEAT GASKET - Aluminum & Rubber



NEEDLE



NEEDLE



PIN




SPRING

31-733 VITON NEEDLE & SEAT ASSEMBLY



VITON NEEDLE & SEAT ASSEMBLY



NEEDLE & SEAT GASKET - Aluminum & Rubber




FILTER SCREEN




NEEDLE

Disclaimer: These parts are designed for off-road use only and may not comply with local, state, or federal road regulations.

WALKER #	ENGINE/MODEL	MFG CODE	MODEL	NEEDLE & SEAT	ACC. PUMP	POWER VALVE	FLANGE GASKET
15881A	400, 500, 600, 625, 750 CFM	C-4	AFB	31-730 (2 REQUIRED)	64-257	—	G741
159016	500, 600, 750, 800 CFM	C-4	AFB	31-733 (2 REQUIRED)	64-332	—	G1407




CARTER - SQUARE FLANGE/PERFORMANCE EQUIPPED
15881A




CARTER - SQUARE FLANGE/PERFORMANCE EQUIPPED
159016

Disclaimer: These parts are designed for off-road use only and may not comply with local, state, or federal road regulations.

WALKER #	ENGINE/MODEL	MFG CODE	MODEL	NEEDLE & SEAT	ACC. PUMP	POWER VALVE	FLANGE GASKET
15456B	600, 650, 700, 750, 800, 812, 830, 850 CFM	H-4	4150	31-689 (2 REQUIRED)	64-326, 64-288	70-165	G669
15879	500 CFM	H-2	2300	31-676	64-288	70-155	G765
151095	650, 750 CFM	H-4	4010	31-689 (2 REQUIRED)	64-326	70-165	G745
151096	650, 800 CFM	H-4	4011	31-689 (2 REQUIRED)	64-326	70-165	G963
159018	750, 1050, 1150, 1250 CFM	H-4	4500	31-689 (2 REQUIRED)	64-288		G954
MARINE APPLICATION							
159017	600 CFM	H-4	4160	31-595 (2 REQUIRED)	64-197	70-150	G676




HOLLEY
15456B




HOLLEY
15879


Disclaimer: These parts are designed for off-road use only and may not comply with local, state, or federal road regulations.




HOLLEY
151095



HOLLEY
151096




HOLLEY
159018




HOLLEY - MARINE APPLICATION
159017

Disclaimer: These parts are designed for off-road use only and may not comply with local, state, or federal road regulations.

WALKER #	ENGINE/MODEL	MFG CODE	MODEL	NEEDLE & SEAT	ACC. PUMP	POWER VALVE	FLANGE GASKET
159055	750, 795, 850	R-4	QUAD	31-546	64-344	—	G1697
159056	750, 795, 850	R-4	QUAD	31-678	64-344	—	G581, G1697



ROCHESTER
159055



ROCHESTER
159056

Disclaimer: These parts are designed for off-road use only and may not comply with local, state, or federal road regulations.



1-WIRE CONNECTOR
270-1000



1-WIRE CONNECTOR
270-1001



1-WIRE CONNECTOR
270-1043




1-WIRE CONNECTOR
270-1071



2-WIRE CONNECTOR
210-1501



2-WIRE CONNECTOR
211-1500



2-WIRE CONNECTOR
270-1033



2-WIRE CONNECTOR
270-1034



2-WIRE CONNECTOR
270-1049



2-WIRE CONNECTOR
270-1050



2-WIRE CONNECTOR
270-1051



2-WIRE CONNECTOR
270-1052




2-WIRE CONNECTOR
270-1053



2-WIRE CONNECTOR
270-1054



2-WIRE CONNECTOR
270-1055



2-WIRE CONNECTOR
270-1056

Disclaimer: These parts are designed for off-road use only and may not comply with local, state, or federal road regulations.



2-WIRE CONNECTOR
270-1057



2-WIRE CONNECTOR
270-1062



2-WIRE CONNECTOR
270-1063



2-WIRE CONNECTOR
270-1092



2-WIRE CONNECTOR
270-1096



2-WIRE CONNECTOR
270-1097



2-WIRE CONNECTOR
270-1098



2-WIRE CONNECTOR
270-1099



2-WIRE CONNECTOR
270-1100



2-WIRE CONNECTOR
270-1102



2-WIRE CONNECTOR
270-1106



2-WIRE CONNECTOR
270-1112



3-WIRE CONNECTOR
270-1002



3-WIRE CONNECTOR
270-1003



3-WIRE CONNECTOR
270-1004



3-WIRE CONNECTOR
270-1006

Disclaimer: These parts are designed for off-road use only and may not comply with local, state, or federal road regulations.

WALKER PRODUCTS • 525 WEST CONGRESS STREET • PACIFIC, MO 63069 • www.walkerproducts.com
U.S. Corporate Office: 636-257-2400 • Fax: 636-257-6211 • Customer Service: 636-257-1700 • Technical Support: 844-252-0114
U.K. Sales Office and Distribution Center: +44-121-459-8006 • saleseurope@walkerproducts.com
Oficinas para Mexico: +52-72-2402-2167 · Soporte tecnico y servicio al cliente en Mexico: +52-72-2207-8957



3-WIRE CONNECTOR
270-1035



3-WIRE CONNECTOR
270-1036



3-WIRE CONNECTOR
270-1038



3-WIRE CONNECTOR
270-1039



3-WIRE CONNECTOR
270-1044



3-WIRE CONNECTOR
270-1045



3-WIRE CONNECTOR
270-1046



3-WIRE CONNECTOR
270-1047



3-WIRE CONNECTOR
270-1048



3-WIRE CONNECTOR
270-1058



3-WIRE CONNECTOR
270-1059



3-WIRE CONNECTOR
270-1060



3-WIRE CONNECTOR
270-1061



3-WIRE CONNECTOR
270-1064



3-WIRE CONNECTOR
270-1065



3-WIRE CONNECTOR
270-1066

Disclaimer: These parts are designed for off-road use only and may not comply with local, state, or federal road regulations.



3-WIRE CONNECTOR
270-1073



3-WIRE CONNECTOR
270-1076



3-WIRE CONNECTOR
270-1077



3-WIRE CONNECTOR
270-1079



3-WIRE CONNECTOR
270-1080



3-WIRE CONNECTOR
270-1081



3-WIRE CONNECTOR
270-1083



3-WIRE CONNECTOR
270-1085



3-WIRE CONNECTOR
270-1086



3-WIRE CONNECTOR
270-1088




3-WIRE CONNECTOR
270-1089



3-WIRE CONNECTOR
270-1093



3-WIRE CONNECTOR
270-1111



4-WIRE CONNECTOR
270-1007




4-WIRE CONNECTOR
270-1009



4-WIRE CONNECTOR
270-1010

Disclaimer: These parts are designed for off-road use only and may not comply with local, state, or federal road regulations.

WALKER PRODUCTS • 525 WEST CONGRESS STREET • PACIFIC, MO 63069 • www.walkerproducts.com
U.S. Corporate Office: 636-257-2400 • Fax: 636-257-6211 • Customer Service: 636-257-1700 • Technical Support: 844-252-0114
U.K. Sales Office and Distribution Center: +44-121-459-8006 • saleseurope@walkerproducts.com
Oficinas para Mexico: +52-72-2402-2167 · Soporte tecnico y servicio al cliente en Mexico: +52-72-2207-8957



4-WIRE CONNECTOR
270-1012



4-WIRE CONNECTOR
270-1013



4-WIRE CONNECTOR
270-1014



4-WIRE CONNECTOR
270-1037



4-WIRE CONNECTOR
270-1040



4-WIRE CONNECTOR
270-1042



4-WIRE CONNECTOR
270-1074



4-WIRE CONNECTOR
270-1075



4-WIRE CONNECTOR
270-1082

Disclaimer: These parts are designed for off-road use only and may not comply with local, state, or federal road regulations.



CAPTIVE INSTALL TOOL
86-4001
THREADS: 6-32



CAPTIVE INSTALL TOOL
86-4003
THREADS: 10-24



CAPTIVE INSTALL TOOL
86-4004
THREADS: 10-32



CAPTIVE INSTALL TOOL
86-4005
THREADS: 12-24



CAPTIVE INSTALL TOOL
86-4006
THREADS: 12-28



CAPTIVE INSTALL TOOL
86-4008
THREADS: 1/4-28



CAPTIVE INSTALL TOOL
86-4010
THREADS: 5/16-24



CAPTIVE INSTALL TOOL
86-4011
THREADS: 3/8-16



CAPTIVE INSTALL TOOL
86-4023
THREADS: M3x5



CAPTIVE INSTALL TOOL
86-4031
THREADS: M10x1.25



14mm EGTS SOCKET
88-840



17mm EGTS SOCKET
88-841



FILTER INSTALLATION TOOL
88-820



HELICOIL
86-1001
THREADS: 6-32



HELICOIL
86-1002
THREADS: 8-32



HELICOIL
86-1003
THREADS: 10-24



HELICOIL
86-1004
THREADS: 10-32



HELICOIL
86-1006
THREADS: 12-28



HELICOIL
86-1007
THREADS: 1/4-20



HELICOIL
86-1008
THREADS: 1/4-28



HELICOIL
86-1009
THREADS: 5/16-28



HELICOIL
86-1010
THREADS: 5/16-24



HELICOIL
86-1011
THREADS: 3/8-16



HELICOIL
86-1012
THREADS: 3/8-24



HELICOIL
86-1013
THREADS: 7/16-20



HELICOIL
86-1014
THREADS: 7/16-24



HELICOIL
86-1015
THREADS: 1/2-20



HELICOIL
86-1017
THREADS: 7/8-20



HELICOIL
86-1018
THREADS: 1-20



HELICOIL
86-1019
THREADS: 5/16-18 x .625

Disclaimer: These parts are designed for off-road use only and may not comply with local, state, or federal road regulations.

 **HELICOIL** **86-1020** THREADS: 3/8-16 x .562	 **HELICOIL** **86-1021** THREADS: 7/16-24 x .656	 **HELICOIL** **86-1023** THREADS: M3 x 5	 **HELICOIL** **86-1024** THREADS: M4 x 7	 **HELICOIL** **86-1025** THREADS: M5 x 8
 **HELICOIL** **86-1026** THREADS: M6 x 1	 **HELICOIL** **86-1027** THREADS: M8 x 1	 **HELICOIL** **86-1028** THREADS: M8 x 1.25	 **HELICOIL** **86-1030** THREADS: M10 x 1	 **MINI STRIPPER CRIMPER** **924-5001** 7-8MM
 **MINI STRIPPER CRIMPER** **924-5002** 8.5-9.5MM	 **MINI STRIPPER CRIMPER SET** **924-5003** 7-8MM & 8.5-9.5MM	 **02 BUNG REPAIR KIT** **88-833**	 **02 BUNG REPAIR KIT** **88-834**	 **02 CHASER** **88-837**
 **02 SENSOR SOCKET** **88-823**	 **02 SENSOR SOCKET** **88-836**	 **02 WRENCH** **88-829**	 **02 WRENCH** **88-835**	 **02 WRENCH 2-1/8" OFFSET** **88-830**
 **PLAIN INSTALL TOOL** **86-3001** THREADS: 6-32	 **PLAIN INSTALL TOOL** **86-3002** THREADS: 8-32	 **PLAIN INSTALL TOOL** **86-3010** THREADS: 5/16-24	 **PLAIN INSTALL TOOL** **86-3015** THREADS: 1/2-20	 **PLAIN INSTALL TOOL** **86-3026** THREADS: M6 x 1
 **TAP** **86-2001** THREADS: 6-32	 **TAP** **86-2002** THREADS: 8-32	 **TAP** **86-2004** THREADS: 10-32	 **TAP** **86-2007** THREADS: 1/4-20	 **TAP** **86-2023** THREADS: M3 x 5

Disclaimer: These parts are designed for off-road use only and may not comply with local, state, or federal road regulations.



TAP
86-2026
THREADS: M6 x 1



TAP
86-2027
THREADS: M8 x 1



TAP
86-2030
THREADS: M10 x 1



TAP
86-2031
THREADS: M10 x 1.5

GM SMALL BLOCK VALVE COVER GASKET - BLACK NITRILE COATED

Nitrile butadiene rubber binder for fluid resistance. Generally suitable for oil, gasoline and water services. For applications with intermittent operating temperatures up to 180oC (350oF).

SPECIFICATION

Density g/cm3 (lbs./cu. ft.) min.	0.61 (38)
Compressibility % at 6.9 MPa (1000 psi)	32 - 46
Minimum Recovery (%)	25
Minimum Tensile MPa (psi)	5.52 (800)

ASTM F-146 IRM 903
22 hours at 21-24oC (70-75oF)

Percent Change in Thickness (max.)	15
Percent Change in Weight (max.)	70

ASTM F-146 Fuel B
22 hours at 21-24oC (70-75oF)


Percent Change in Thickness (max.)	25
Percent Change in Weight (max.)	75

ASTM F-146 Distilled Water
22 hours at 21-24oC (70-75oF)

Percent Change in Thickness (max.)	25
Percent Change in Weight (max.)	50

Binder Type

Rubber Binder	Nitrile Butadiene



GM SMALL BLOCK VALVE COVER GASKET - BLACK NITRILE COATED
VC-1

Disclaimer: These parts are designed for off-road use only and may not comply with local, state, or federal road regulations.



1/4" BALL STUD
22-111
THREADS: 10-32, LENGTH: 1.260"



1/4" BALL STUD
22-121
THREADS: 10-32, LENGTH: .750"



1/4" BALL STUD
22-20
THREADS: 10-32, LENGTH: .833"



1/4" BALL STUD
22-23
THREADS: 10-32, LENGTH: .828"



1/4" BALL STUD
22-24
THREADS: 1/4-28, LENGTH: .928"



7/32" BALL STUD
22-25
THREADS: 1/4-20, LENGTH: .937"



1/4" BALL STUD
22-70
THREADS: 5/16-18, LENGTH: 1.020"



1/4" BALL STUD
22-86
THREADS: 5/16-18, LENGTH: 1.135"




BALL STUD - THROTTLE PIN
22-69
ROCHESTER




BALL STUD - THROTTLE PIN
22-72
ROCHESTER



BALL STUD - THROTTLE PIN
22-73
ROCHESTER




FUEL FITTING
90-157



FUEL INLET FITTING
90-75
CARTER/ROCHESTER




FUEL INLET FITTING
90-91
ROCHESTER 2 & 4 BARRELS



FUEL INLET FITTING W/1" HEX
90-75-1

Disclaimer: These parts are designed for off-road use only and may not comply with local, state, or federal road regulations.

WPA-101 EXPANSION PLUG KIT




PART #	DESCRIPTION	QTY	PART #	DESCRIPTION	QTY
0-111	ALUMINUM MIXTURE SCREW PLUG	25	85-48	ALUMINUM EXPANSION PLUG 5/8	50
0-112	ALUMINUM THROTTLE SENSOR PLUG	25	85-49	ALUMINUM EXPANTION PLUG 7/16	50
0-50	ALUMINUM HIGH SPEED PASSAGE PLUG	50	85-50	ALUMINUM EXPANSION PLUG 3/8	50
0-90-1	ALUMINUM BOWL VENT PLUG,CARTER T.Q.	50	85-53	ALUMINUM EXPANTION PLUG 5/16	50
80-221	10-24 X 3/8 PHILLIPS SELF-TAP SCREW	50	85-58	ALUMINUM EXPANSION PLUG 1/2	50
85-47	ALUMINUM EXPANSION PLUG 9/16	50			

WPA-102 CLIP RETAINERS & PINS



PART #	DESCRIPTION	QTY	PART #	DESCRIPTION	QTY
32-10	COTTER PIN 3/64 X 1/2	50	62-48	ROD RETAINER	50
32-11	COTTER PIN 3/64 X 3/8	50	62-55	ROD RETAINER	50
32-28	3/32 X 1/2 ROLL PIN	50	62-56	ROD RETAINER	50
32-46	COTTER PIN 3/64 X 1/4	50	62-57	E-CLIP RETAINER	50
32-55	COTTER PIN 1/32 X 9/16	50	62-59	RETAINER	50
62-104	RETAINER 50		62-62	RETAINER	50
62-42	E-CLIP RETAINER	50	62-63	E-CLIP RETAINER	50
62-44	ROD CLIP RETAINER	50	62-64	E-CLIP RETAINER	50
62-45	DIAPHRAGM LINK RETAINER	50	62-90	E-CLIP RETAINER	50
62-46	CHOKE ROD RETAINER	50	62-96	E-CLIP RETAINER	50
62-47	E-CLIP RETAINER	50			

WPA-103 FILTER AND BALL KIT



PART #	DESCRIPTION	QTY	PART #	DESCRIPTION	QTY
30-54	FUEL FILTER SHORT (W/O CHECK)	2	90-12	CHECK BALL 5/32 CARBON STEEL	50
30-55	FUEL FILTER LONG (W/O CHECK)	4	90-13	CHECK BALL 3/16 CARBON STEEL	50
30-57	FILTER SCREEN	6	90-146	CHECK BALL 9/64 CARBON STEEL	50
30-58	FUEL FILTER ASSEMBLY FORD, VV	6	90-19	CHECK BALL 3/16 ALUMINUM	50
30-66	FUEL FILTER SCREEN	6	90-20	CHECK BALL 5/32 ALUM. GRD 2000	50
30-70	FUEL INLET STRAINER	2	90-21	CHECK BALL 1/8 CARBON STEEL	50
30-74	FUEL FILTER	2	90-32	CHECK BALL 1/8 ALUMINUM	50

WPA-104 CHECK VENT VALVE & MISCELLANEOUS KIT



PART #	DESCRIPTION	QTY	PART #	DESCRIPTION	QTY
1014F	CHOKE COVER POP-RIVET	50	G600-1	RUBBER VACUUM TUBE CAP (1/4)	50
80-221	10-24 X 3/8 PHILLIP SELF-TAP SCREW	50	G603	VENT VALVE	25
916F	CHOKE COVER POP-RIVET	50	G652	BODY FLANGE GASKET	25
G1138	RUBBER VENT VALVE	50	G679	RUBBER VENT VALVE	10
G1245	RUBBER VENT VALVE	50	G797	RUBBER VENT VALVE	10
G582	UMBRELLA CHECK VALVE	25			

Disclaimer: These parts are designed for off-road use only and may not comply with local, state, or federal road regulations.

WALKER PRODUCTS • 525 WEST CONGRESS STREET • PACIFIC, MO 63069 • www.walkerproducts.com
U.S. Corporate Office: 636-257-2400 • Fax: 636-257-6211 • Customer Service: 636-257-1700 • Technical Support: 844-252-0114
U.K. Sales Office and Distribution Center: +44-121-459-8006 • saleseurope@walkerproducts.com
Oficinas para Mexico: +52-72-2402-2167 · Soporte tecnico y servicio al cliente en Mexico: +52-72-2207-8957

walkerproducts.com

HIGH PERFORMANCE PRODUCTS • CARBURETION • CARBURETOR REPAIR KITS
FUEL INJECTION • OXYGEN SENSORS • BUNGS & PLUGS • ENGINE MANAGEMENT

Supplying quality products since 1946



As an industry leader, Walker Products Inc. has evolved into a premier supplier of fuel delivery components, emission control products, engine sensors, ignition wire sets, and coil-on-plug boots. Being in the forefront of new technologies, state-of-the-art engineering, automated manufacturing processes, along with great customer service has made Walker Products Inc. the right choice as your supplier of automotive products. All of our products live up to OE specifications and your demanding standards. We are proud of our history and commitment to the automotive aftermarket.

Our Standards... OE Fit, Form & Function

MORE Coverage, FEWER SKUs, HIGHER Profits

Servicing the industry for over 70 years to reduce your inventory and increase coverage and profits.

HIGH PERFORMANCE PRODUCTS • CARBURETION • CARBURETOR REPAIR KITS
FUEL INJECTION • OXYGEN SENSORS • BUNGS & PLUGS • ENGINE MANAGEMENT



WALKER PRODUCTS, INC.
525 WEST CONGRESS STREET • PACIFIC, MO 63069 • www.walkerproducts.com
U.S. Corporate Office: 636-257-2400 • Fax: 636-257-6211
Customer Service: 636-257-1700 • Technical Support: 844-252-0114
U.K. Sales Office and Distribution Center: +44-121-459-8006 • saleseurope@walkerproducts.com
Oficinas para Mexico: +52-72-2402-2167
Soporte tecnico y servicio al cliente en Mexico: +52-72-2207-8957