



HIGH PERFORMANCE



- Oxygen Sensors
- Fuel Injections Components
- Carburetion Accessories
- Engine Management Devices



YOUR FIRST CHOICE IN QUALITY PRODUCTS



TABLE OF CONTENTS

APPLICATIONS:

Page #

CARTER

AFB..... 1-2

HOLLEY - HP

ACCELERATOR PUMPS & COMPONENTS.....	3-4
AIR CLEANER, AIR HORN & FUEL BOWL GASKETS.....	14
BASE PLATES	5
BASE PLATE COMPONENTS & THROTTLE PLATES	6
BOOSTERS.....	7
CHOKES & COMPONENTS	8
FLANGE GASKETS	9
FLOAT BOWLS	10-11
FLOAT BOWL COMPONENTS.....	12
FLOATS & COMPONENTS.....	13
MAIN BODIES.....	17
METERING BLOCK GASKETS	15
METERING BLOCKS & COMPONENTS.....	18
NEEDLE & SEAT COMPONENTS.....	19
POWER VALVES & COMPONENTS	20
SECONDARY DIAPHRAGMS & COMPONENTS.....	21
THROTTLE BODY GASKETS	16
THROTTLE LINKAGES & COMPONENTS	22
THROTTLE SHAFTS & COMPONENTS	23
STANDARD MAIN JETS & BLEEDS.....	24
NITROUS JETS & ALCOHOL JETS	25
CHOKE CONVERSION KITS.....	26
MISCELLANEOUS COMPONENTS.....	27

HP-CARBURETOR REPAIR KITS

CARBURETOR KIT CHART	28
BUYER'S GUIDE.....	29-31

HIGH PERFORMANCE FUEL INJECTORS

SEAL KITS, AND INJECTORS.....	32
-------------------------------	----

HP - OXYGEN SENSORS

WALKER 5 WIRE WIDE BAND (SENSOR PROGRAM)	33
--	----

ENGINE MANAGEMENT

SENSORS.....	34
--------------	----

02 SENSOR

BUNGS & PLUGS.....	35
BUNG & PLUG KITS.....	36

Walker Products Inc.
14291 Commerce Dr. Garden Grove, CA. 92843
Phone: (714) 554-5151 Fax: (714) 554-5125

© Walker Products, Inc.



HIGH PERFORMANCE COMPONENTS LISTING NUMERICAL ORDER






WALKER No.	PAGE No.	WALKER No.	PAGE No.	WALKER No.	PAGE No.	WALKER No.	PAGE No.	WALKER No.	PAGE No.	WALKER No.	PAGE No.
1/8HOSE	26	31-773	19	70-195	20	85-450	4	85-570	3	85-692	18
5/32HOSE	26	32-11	22	70-205	20	85-451	4	85-580	5	85-699	17
0-50	1	32-27	1	70-225	20	85-452	4	85-582	11	85-701	17
0-106	18,27	32-32	1,13	70-235	20	85-453	27	85-599	18	85-704	17
0-112	27	40-4	2	70-245	20	85-454	6	85-601	12	85-707	17
0-121	18,27	50-30	22	70-255	20	85-455	6	85-603	23	85-708	18
0-122	18,27	50-54	22	70-265	20	85-456	6	85-604	23	85-712	11
0-126	27	62-45	21	70-285	20	85-457	6	85-605	23	85-713	17
0-137	18,27	62-46	26	70-287	20	85-458	6	85-606	12	85-714	17
16-27	18	62-47	4,6,22	70-288	20	85-459	8	85-607	18,24	85-717	5
16-29	1	62-56	1	80-5	8	85-460	7	85-608	18,24	85-718	6
16-59	1	62-85	1	80-42	6	85-461	6	85-609	23	85-720	17
16-155	6	62-89	2	80-87	6	85-462	6	85-611	24	85-722	17
16-168	1	62-91	2	80-221	26	85-464	6	85-612	26	85-723	13
16-173	18	62-94	4,6	80-222	20	85-470	18	85-613	24	85-724	5
17-7	27	64-170	21	80-223	4	85-471	8,26	85-614	26	85-725	17
17-43	27	64-197	21	80-224	4,21,23	85-472	3	85-615	23,26	85-726	17
17-66	4	64-236	21	80-225	4	85-477	20	85-616	23,26	85-727	18
17-59	27	64-238	21	80-226	4	85-490	7	85-617	7	85-728	4
17-67	1	64-288	3	80-228	18	85-491	7	85-621	7	85-730	7
17-72	27	64-326	3	80-230	6	85-493	7	85-622	7	85-731	17
17-164	27	64-328	21	80-231	6	85-494	7	85-623	7	85-732	27
17-165	18	64-332	2	80-232	23	85-496	7	85-624	12	85-734	17
17-167	27	64-430	1	80-233	23	85-498	7	85-626	18	85-735	27
17-168	6,18	64-464	2	80-234	26	85-499	7	85-627	13	85-741	27
17-193	26	64-472	3	80-235	18	85-500	7	85-628	21,26	85-746	10
17-194	6	64-473	3	80-236	6	85-501	7	85-629	21,26	85-747	10
17-195	18	64-487	21	80-237	13	85-502	7	85-630	26	85-752	10
17-196	18	64-488	2	80-238	21,26	85-503	4	85-631	26	85-760	27
17-198	27	66-32	2	80-239	4,21	85-504	4	85-632	26	86-1005	12
18-200	2	66-51	26	80-242	21	85-505	4	85-633	26	86-2005	12
18-221	2	66-58	1	80-243	8,26	85-506	4	85-634	26	86-3005	12
20-93	23	66-75	13	80-244	6	85-507	4	85-635	18	90-10	12
20-94	23	66-128	1	80-245	8,26	85-508	4	85-636	12	90-72	12
20-95	8	66-129	1	80-246	6	85-509	4	85-637	12	90-99	12
20-96	8	66-146	1	80-247	4	85-510	4	85-638	12	90-140	12
20-97	23	66-147	20	80-248	6	85-511	4	85-642	21	90-146	1,20
20-98	23	66-149	3	81-2	21,26	85-513	4	85-643	23	90-163	12
22-16	6	66-150	3	82-13	1	85-514	4	85-644	23	90-164	35
22-17	27	66-151	3	82-15	22	85-515	4	85-645	21	90-164SS	35
22-31	23	66-152	21	82-16	23	85-516	4	85-646	4	90-164SS-C	35
22-134	23	66-153	21	83-1	18	85-517	12	85-647	11	90-174	12
22-162	4,6,22	66-154	21	83-3	26	85-518	3	85-648	11	90-175	12
22-163	4,6,23	66-155	21	85-23	21	85-519	3	85-649	11	90-176	12
22-164	4,6,22	66-156	21	85-54	27	85-520	3	85-650	21	90-177	2
22-173	4,6,22	66-157	21	85-78	26	85-521	3	85-651	6	90-178	12
25-7	11	66-158	21	85-176	4	85-522	3	85-652	6	90-184	35
25-20	11	66-173	23	85-203	1	85-523	10	85-653	6	90-184SS	35
25-23	11	66-175	6	85-206	27	85-524	10	85-654	6	90-185	35
25-24	11	66-179	13	85-207	4	85-525	10	85-655	6	90-185SS	35
30-57	2	66-180	13	85-287	6	85-526	10	85-656	6	90-186	35
30-74	1	66-181	23,26	85-295	4	85-527	10	85-657	6	90-186SS	35
31-512	2	66-182	23	85-305	4	85-528	4	85-658	6	90-187	35
31-596	19	66-183	23	85-337	12,19	85-529	3	85-659	6	90-187SS	35
31-597	19	66-184	1	85-338	12,19	85-530	4	85-660	27	90189	35
31-649	19	66-185	1	85-435	7	85-531	4	85-661	8	90-189SS	35
31-650	19	66-186	1	85-436	7	85-532	4	85-662	8	90-190	35
31-676	19	66-187	1	85-438	7	85-533	4	85-663	8	90-190SS	35
31-689	19	66-188	1	85-439	4	85-534	4	85-664	8	90-195	35
31-690	19	70-69	20	85-440	4	85-535	4	85-665	8	90-195SS	35
31-730	2	70-105	20	85-441	4	85-536	4	85-666	26	90-195SS-C	35
31-733	2	70-125	20	85-442	4	85-537	4	85-667	26	90-199	35
31-736	19	70-135	20	85-443	4	85-538	4	85-668	5	90-199	35
31-737	19	70-145	20	85-444	4	85-539	4	85-673	5	90-200	35
31-738	19	70-150	20	85-445	4	85-542	10	85-674	5	90-200	35
31-761	19	70-155	20	85-446	4	85-546	18	85-677	5	90-203	35
31-762	19	70-165	20	85-447	4	85-561	4	85-678	18	90-203SS	35
31-763	19	70-175	20	85-448	4	85-562	6	85-683	18	90-204	35
31-764	19	70-185	20	85-449	4	85-568	3	85-688	18	90-204SS	35












HIGH PERFORMANCE COMPONENTS LISTING NUMERICAL ORDER

WALKER PAGE No. No.	WALKER PAGE No. No.	WALKER PAGE No. No.	WALKER PAGE No. No.	WALKER PAGE No. No.	WALKER PAGE No. No.
90-206SS.....35	120-40-78.....24	159-140.....25	G758RD.....15	G1146.....16	G1862RD.....16
90-207SS.....35	120-40-79.....24	159-144.....25	G761.....15	G1146BL.....16	G1863.....14
100-79.....13	120-40-80.....24	159-149.....25	G761BL.....15	G1146RD.....16	G1863BL.....14
100-94.....2	120-40-81.....24	159-154.....25	G761RD.....15	G1156.....15	G1863RD.....14
100-98.....13	120-40-82.....24	159-157.....25	G765.....9	G1156BL.....15	G1881.....9
100-102.....13	120-40-83.....24	159-161.....25	G774.....16	G1156GR.....15	G1881BL.....9
100-103.....13	120-40-84.....24	159-166.....25	G774BL.....16	G1156RD.....15	G1889.....14
100-124.....2	120-40-85.....24	159-169.....25	G774RD.....16	G1194.....12	R53.....22
100-149.....13	120-40-86.....24	159-173.....25	G775.....16	G1205.....2	R142.....22
100-153.....13	120-40-87.....24	159-177.....25	G778.....12	G1206.....12	R143.....22
101-543.....8	120-40-88.....24	159-180.....25	G792.....15	G1207.....1	R144.....22
102-1081.....2	120-40-89.....24	159-185.....25	G792BL.....15	G1208.....16	R145.....22
102-1082.....8,26	120-40-90.....24	159-189.....25	G792GR.....15	G1208BL.....16	R147.....22
120-7.....24	120-40-91.....24	159-193.....25	G792RD.....15	G1208RD.....16	R148.....22
120-8.....24,27	120-40-92.....24	159-199.....25	G794.....4	G1218.....8	R149.....22
120-27-077.....1	120-40-93.....24	159-201.....25	G843.....16	G1220.....20	R151.....22
120-27-080.....1	120-40-94.....24	159-205.....25	G843BL.....16	G1266.....1	R152.....22,26
120-27-083.....1	120-40-95.....24	159-209.....25	G843RD.....16	G1268.....2	15456B.....28,29
120-27-086.....1	120-40-96.....24	159-213.....25	G844.....16	G1320.....8	15881A.....28,29
120-27-089.....1	120-40-97.....24	159-221.....25	G844BL.....16	G1325.....2	15879.....28,29
120-27-092.....1	120-40-98.....24	159-228.....25	G844RD.....16	G1329.....14	151095.....28,30
120-27-095.....1	120-40-99.....24	243F.....8	G851.....15	G1329BL.....14	151096.....28,30
120-27-098.....1	120-40-100.....24	397F.....12	G851BL.....15	G1329GR.....14	159016.....28,29
120-27-100.....1	120-40-101.....24	670F.....12	G851GR.....15	G1329RD.....14	159017.....28,31
120-27-101.....1	120-40-102.....24	G38.....2	G851RD.....15	G1336.....8	159018.....28,30
120-27-104.....1	120-40-103.....24	G49.....12	G905.....16	G1355.....19	159055.....28,31
120-27-107.....1	120-40-104.....24	G59.....12	G911.....20	G1360.....19	159056.....28,31
120-27-110.....1	120-40-105.....24	G97-1.....8	G918.....8,26	G1364.....16	17003.....32
120-27-113.....1	120-40-106.....24	G110.....11,12	G954.....9	G1364BL.....16	200-1043.....34
120-27-116.....1	120-40-107.....24	G243.....8	G999.....9	G1364RD.....16	210-1001.....34
120-27-119.....1	120-40-108.....24	G272.....12	G1034.....16	G1392.....15	210-1501.....34
120-40-40.....24	120-40-109.....24	G273.....19	G1046.....14	G1392BL.....15	211-1012.....34
120-40-41.....24	120-40-110.....24	G282.....8,21,26	G1046BL.....14	G1392GR.....15	211-1500.....34
120-40-42.....24	120-50-014.....25	G283.....6,18	G1046GR.....14	G1392RD.....15	215-1003.....34
120-40-43.....24	thru	G349.....2	G1046RD.....14	G1394.....15	225-1001.....34
120-40-44.....24	120-50-120.....25	G379.....2	G1047.....15	G1394BL.....15	225-1008.....34
120-40-45.....24	120-60-00.....25	G418.....12	G1047BL.....15	G1394GR.....15	225-1026.....34
120-40-46.....24	130-5749.....1	G509.....8	G1047GR.....15	G1394RD.....15	225-1039.....34
120-40-47.....24	130-6252.....1	G540.....23	G1047RD.....15	G1406.....2	245-1017.....34
120-40-48.....24	130-6337.....1	G582.....4	G1048.....16	G1407.....2,9	245-1062.....34
120-40-49.....24	130-6347.....1	G600-4.....26	G1048BL.....16	G1407BL.....2,9	250-25001.....33
120-40-50.....24	130-6537.....1	G633.....2	G1048RD.....16	G1468.....9	250-25022.....33
120-40-51.....24	130-6547.....1	G652.....1	G1056.....14	G1502.....12	250-25033.....33
120-40-52.....24	130-6552.....1	G654.....4	G1056BL.....14	G1620.....14	250-25070.....33
120-40-53.....24	130-6557.....1	G667.....15	G1056GR.....14	G1620BL.....14	250-25075.....33
120-40-54.....24	130-6749.....1	G667BL.....15	G1056RD.....14	G1620RD.....14	250-25076.....33
120-40-55.....24	130-6755.....1	G667GR.....15	G1057.....15	G1621.....14	500-1016.....32
120-40-56.....24	130-6842.....1	G667RD.....15	G1057BL.....15	G1621BL.....14	500-1018.....32
120-40-57.....24	130-6847.....1	G669.....9	G1057GR.....15	G1621RD.....14	500-1022.....32
120-40-58.....24	130-6852.....1	G679.....1	G1057RD.....15	G1622.....3	500-1030.....32
120-40-59.....24	130-6857.....1	G694.....16	G1062.....15	G1623.....20	500-1031.....32
120-40-60.....24	130-7037.....1	G694BL.....16	G1062BL.....15	G1624.....20	500-1032.....32
120-40-61.....24	130-7042.....1	G694RD.....16	G1062GR.....15	G1625.....3	500-1033.....32
120-40-62.....24	130-7047.....1	G702.....1,14	G1062RD.....15	G1646.....2,9	500-1036.....32
120-40-63.....24	130-7052.....1	G702BL.....1,14	G1063.....14	G1717.....3	500-9000.....32
120-40-64.....24	130-7057.....1	G702RD.....1,14	G1063BL.....14	G1718.....19	500-9001.....32
120-40-65.....24	130-7147.....1	G730.....15	G1063GR.....14	G1719.....19	500-9002.....32
120-40-66.....24	130-7337.....1	G730BL.....15	G1063RD.....14	G1733.....11,12	500-9003.....32
120-40-67.....24	130-7342.....1	G730GR.....15	G1064.....9	G1742.....9	500-9004.....32
120-40-68.....24	130-7347.....1	G730RD.....15	G1070.....15	G1780.....14	500-9005.....32
120-40-69.....24	130-7352.....1	G732.....15	G1070BL.....15	G1800.....9	500-9006.....32
120-40-70.....24	130-7537.....1	G732BL.....15	G1070GR.....15	G1812.....14	500-9007.....32
120-40-71.....24	130-7542.....1	G732GR.....15	G1070RD.....15	G1857.....14	500-9008.....32
120-40-72.....24	130-7547.....1	G732RD.....15	G1115.....1	G1860.....21	500-9009.....32
120-40-73.....24	159-116.....25	G739.....16	G1125.....12	G1861.....16	500-9010.....32
120-40-74.....24	159-120.....25	G739BL.....16	G1126.....12	G1861BL.....16	500-9011.....32
120-40-75.....24	159-125.....25	G739RD.....16	G1127.....23	G1861RD.....16	
120-40-76.....24	159-128.....25	G758.....15	G1128.....23	G1862.....16	
120-40-77.....24	159-136.....25	G758BL.....15	G1140.....12	G1862BL.....16	

JETS  WALKER # 120-27-077 120-27-080 120-27-083 120-27-086 120-27-089 120-27-092 120-27-095 120-27-098 120-27-100 120-27-101 120-27-104 120-27-107 120-27-110 120-27-113 120-27-116 120-27-119 OEM # 120-377 120-380 120-383 120-386 120-389 120-392 120-395 120-398 120-400 120-401 120-404 120-407 120-410 120-413 120-416 120-419		 90-146 CHECK BALL 9/64" (Steel)	 17-67 BRASS PUMP CHECK	 0-50 HIGH SPEED PASSAGE PLUG	 G652 VACUUM TUBE CAP 5/32"	 G679 BOWL VENT VALVE
	 64-430 PUMP SHAFT SEAL	 16-29 IDLE SCREW 10-32X1.452 Length	 16-168 IDLE SCREW 10-32X1.685 Length	 16-59 IDLE SCREW 10-32X1.920 Length	 62-56 ROD RETAINER	
	 62-85 ROD RETAINER	 85-203 CHOKE COVER RETAINER	 82-13 SELF LOCKING RETAINER	 32-27 FLOAT PIN OD.081X.380 Length	 32-32 FLOAT PIN OD .125"X.968" Length	

AFB METERING ROD WALKER # 130-5749 130-6252 130-6337 130-6347 130-6537 130-6547 130-6552 130-6557 130-6749 130-6755 130-6842 130-6847 130-6852 130-6857 130-7037 130-7042 130-7047 130-7052 130-7057 130-7147 130-7337 130-7342 130-7347 130-7352 130-7537 130-7542 130-7547 OEM # 16-5749 16-6252 16-6337 16-6347 16-6537 16-6547 16-6552 16-6557 16-6749 16-6755 16-6842 16-6847 16-6852 16-6857 16-7037 16-7042 16-7047 16-7052 16-7057 16-7147 16-7337 16-7342 16-7347 16-7352 16-7537 16-7542 16-7547		 30-74 FUEL FILTER	 66-128 STEP UP ROD RETAINER SPRING	 66-146 PUMP DISCHARGE BALL SPRING	 ID .240 .040 WIRE DIA. .875 Length 66-58 IDLE ADJUSTMENT SCREW SPRING
 ID .182 .017 WIRE DIA. 1.110 Length 66-184 SPRING (Blue)	 ID .180 .015 WIRE DIA. 1.280 Length 66-185 SPRING (Yellow)	 ID .175 .018 WIRE DIA. 1.310 Length 66-188 SPRING (Silver)	 ID .175 .018 WIRE DIA. 1.365 Length 66-186 SPRING (Orange)	 ID .170 .017 WIRE DIA. 1.585 Length 66-187 SPRING (Pink)	 ID .420 .030 WIRE DIA. 1.655 Length 66-129 PUMP PLUNER SPRING

 ID .215 OD .320 .062 THK. G1266 HOT AIR PASSAGE GASKET (Rubber)	 ID .615 OD .883 .026 THK. G1207 FUEL INLET FITTING WASHER	 ID 1.875 OD 2.187 .046 THK. G1115 CHOKE COVER GASKET	 ID 5.030 OD 5.550 .046 THK. AIR CLEANER GASKET G702BL BLUE NON-STICK * G702RD RED NON-STICK G702 BLACK STANDARD MTRL.
--	--	--	---

 G379 PUMP JET HOUSING GASKET	 G633 VENTURI CLUSTER GASKET	 FLANGE GASKET *  G1407 BLACK STANDARD MTRL.  G1407BL BLUE NON-STICK	 G1268 FLANGE GASKET
 G349 VENTURI CLUSTER GASKET	 G1646 FLANGE GASKET	 G1325 BOWL COVER GASKET	 100-94 BRASS FLOAT
			 100-124 BRASS FLOAT
 90-177 FUEL FITTING BANJO ASSEMBLY	 66-32 CHOKE THERMOSTAT SPRING	 102-1081 CHOKE THERMOSTAT	 40-4 CHOKE COVER CAP
 64-332 FLUORELASTOMER PUMP PLUNGER CUP	 64-488 HIGH PERFORMANCE FLUORELASTOMER PUMP ASSEMBLY (w/Heavy Duty Spring)		 64-464 FLUORELASTOMER PUMP ASSEMBLY
 G1406 NEEDLE & SEAT GASKET (Alum.+Rubber)	 31-733 VITON NEEDLE & SEAT ASSEMBLY .090 Orifice	 G38 NEEDLE & SEAT GASKET (Fiber)	 31-512 VITON NEEDLE & SEAT ASSEMBLY .110 Orifice
 30-57 FILTER SCREEN	 18-200 NEEDLE	 18-200 NEEDLE	 62-89 SPRING
			 62-91 PIN
			 18-200 NEEDLE
			 18-221 NEEDLE



64-288
50cc PUMP
DIAPHRAGM ASSEMBLY



64-472
50cc PUMP
DIAPHRAGM ASSEMBLY
(Green GFLT)



64-326
30cc PUMP
DIAPHRAGM ASSEMBLY



64-473
30cc PUMP
DIAPHRAGM ASSEMBLY
(Green GFLT)



85-568
30cc PUMP
COVER HOUSING ASSEMBLY



85-570
50cc PUMP
COVER HOUSING ASSEMBLY



85-518
30cc PUMP
COVER ARM



85-529
50cc PUMP
COVER ARM



G1622
PUMP NOZZLE
BAR GASKET



G1625
PUMP NOZZLE
BAR GASKET




G1717
PUMP NOZZLE
BAR GASKET



66-151
50cc DIAPHRAGM
RETURN SPRING



66-149
30cc LIGHT
DIAPHRAGM SPRING



66-150
30cc HEAVY
DIAPHRAGM SPRING



85-522
30cc STEEL
PUMP ARM



85-521
30cc STEEL
PUMP ARM (Early Style)



85-472
30cc PLASTIC
PUMP ARM



85-519
50cc 4150
PUMP ARM



85-520
50cc 4500 DOMINATOR
PUMP ARM

 62-47 "E" CLIP RETAINER		 22-163 THROTTLE SHAFT BUSHING .015 Thk. (Teflon)		 85-646 ACCELERATOR PUMP TRANSFER TUBE		 22-162 PUMP ARM STUD		
 62-94 "C" CLIP RETAINER		 17-66 BRASS PUMP DISCHARGE NEEDLE		 G582 UMBRELLA CHECK VALVE		 22-173 PUMP ARM STUD (Early Style)		
 80-223 PUMP CAM SCREW 6-20X9/32" Length (OE Style)		 80-247 30cc PUMP COVER SCREW 8-32X3/8" Length (OE Style)		 80-239 DIAPHRAGM COVER SCREW 8-32X9/16" Length (OE Style)		 22-164 THROTTLE SHAFT BUSHING		
 80-224 SECONDARY PUMP CAM LEVER SCREW 10-32X5/16" Length (OE Style)	 80-225 PUMP DISCHARGE SCREW 12-28X51/64" Length (Standard)	 80-226 PUMP DISCHARGE SCREW 12-28X59/64" Length (High Flow)	 85-445 PUMP CAM (Brown 1 Holes)	 85-176 PUMP CAM (White 2 Holes)	 85-439 PUMP CAM (Black 2 Holes)	 85-440 PUMP CAM (Red 2 Holes)		
 G794 TRANSFER TUBE O-RING		 G654 PUMP DISCHARGE NOZZLE GASKET		 85-442 PUMP CAM (Orange 2 Holes)	 85-443 PUMP CAM (Green 2 Holes)	 85-528 DOMINATOR PUMP CAM (White 2 Holes)	 85-504 DOMINATOR PUMP CAM (Yellow 1 Hole w/Shoulder)	
 85-505 SECONDARY PUMP CAM LEVER		 85-561 SECONDARY PUMP CAM BRACKET (Model: 4150)		 85-503 PUMP CAM (Brown 2 Holes w/Shoulders)	 85-441 PUMP CAM (Blue 2 Holes w/Shoulders)	 85-444 PUMP CAM (Pink 3 Holes)		
PUMP DISCHARGE NOZZLES								
STRAIGHT TYPE 			TUBE TYPE 			ANTI - PULLOVER TYPE 		
WALKER #	H #	HOLE SIZE	WALKER #	H #	HOLE SIZE	WALKER #	H #	HOLE SIZE
85-728	121-121	.021	85-451	121-25	.025	85-530	121-225	.025
85-207	121-125	.025	85-305	121-28	.028	85-531	121-228	.028
85-295	121-128	.028	85-511	121-31	.031	85-532	121-231	.031
85-446	121-131	.031	85-452	121-35	.035	85-533	121-237	.037
85-447	121-132	.032	85-513	121-37	.037	85-534	121-240	.040
85-448	121-135	.035	85-514	121-40	.040	85-535	121-242	.042
85-449	121-137	.037	85-515	121-42	.042	85-536	121-245	.045
85-450	121-140	.040	85-516	121-45	.045	85-537	121-247	.047
85-506	121-141	.042				85-538	121-250	.050
85-507	121-145	.045				85-539	121-252	.052
85-508	121-147	.047						
85-509	121-150	.050						
85-510	121-152	.052						




85-717
 BASE PLATE COMPLETE ASSEMBLY
 (Model: 4412)



85-724
 BASE PLATE COMPLETE ASSEMBLY
 (Model: 350/List 7448)




85-677
 BARE BASE PLATE ASSEMBLY
 (Model: 350/List 7448)




85-580
 BARE BASE PLATE ASSEMBLY
 (Model: 4777, 4778, 4779, 4780)




85-668
 BASE PLATE COMPLETE ASSEMBLY
 (Model: 1850)



85-673
 BASE PLATE COMPLETE ASSEMBLY
 (Model: 4779)



85-674
 BASE PLATE COMPLETE ASSEMBLY
 (Model: 4781)

 G283 IDLE SCREW WASHER (Cork)	 62-47 "E" CLIP RETAINER	 62-94 "C" CLIP RETAINER	 22-163 THROTTLE SHAFT BUSHING .015" (Teflon)	 22-162 PUMP ARM STUD	 22-173 PUMP ARM STUD (Early Style)
 85-562 SECONDARY RETURN SPRING PIN	 17-168 STEEL TUBE 3/16"X1" Length	 17-194 TUBE 1/4" O.D.	 22-164 THROTTLE SHAFT BUSHING	 66-175 THROTTLE STOP SCREW SPRING	 22-16 THROTTLE LEVER BALL STUD
 80-231 SECONDARY THROTTLE ADJUSTING SCREW M5X.8X3/8" Length	 80-236 THROTTLE PLATE SCREW 8-32X3/16" Length	 80-246 THROTTLE PLATE SCREW 8-32X9/32" Length (OE Style Stamped "H")	 80-42 THROTTLE PLATE SCREW 8-32X5/16" Length (Non-OE)	 80-248 THROTTLE BODY SCREW 12-24X3/4" Length (OE Style)	
 80-87 THROTTLE STOP SCREW 10-32X1" Length (Non-OE)	 80-244 THROTTLE PLATE SCREW 8-32X5/16" Length (OE Style)	 16-155 IDLE SCREW w/OUT O-RING 6-32X.61/64" Length (4180 Mustang/Ford Truck)	 80-230 THROTTLE STOP SCREW 10-32X1" 3/32" Length (OE Style)		

	WALKER #	BY SIZE	STAMPED
	85-454	1" 7/16" Primary	# 96
	85-456	1" 7/16" Secondary	# 103
	85-655	1" 7/16" Primary 390 HP w/.152 Bypass	# 327
	85-656	1" 7/16" Secondary 390 HP w/.152 Bypass	# 328
	85-287	1" 15/32"	# 259
	85-461	1" 1/2"	# 107
	85-462	1" 9/16"	# 109
	85-653	1" 9/16"	# 267
	85-654	1" 9/16" Brass	# 268
	85-652	1" 9/16" Stainless	# 344
	85-455	1" 11/16" Thin	# 172
	85-457	1" 11/16" w/.093 Bypass	# 215
	85-657	1" 11/16" Stainless	# 354
	85-659	1" 11/16" Stainless - 830 HP	# 329
	85-458	1" 3/4" Aluminum	# 289
	85-718	1" 3/4"	# 180
	85-651	1" 3/4" Stainless	# 326
	85-464	2"	# 228
	85-658	2" 1/8"	# 342



85-500
BOOSTER STAKE
TUBES



85-730
DOMINATOR BOOSTER
INSERT



85-498 .600 I.D.
ANNULAR BOOSTER
INSERT



85-499
ANNULAR BOOSTER
BANJO



85-617 .125 Orifice
85-435 .135 Orifice
85-490 .144 Orifice
STRAIGHT LEG BOOSTER



85-491 .140 Orifice
STRAIGHT LEG BOOSTER
(w/Small Skirt)



85-460 .140 Orifice
85-436 .160 Orifice)
DOWN (Dog) LEG BOOSTER



85-502 .160 Orifice
85-623 .170 Orifice
85-501 .180 Orifice
DOUBLE-STEP DOWN
(Dog) LEG BOOSTER



85-438 .646 I.D.
ANNULAR BOOSTER



85-494
SKIRTED ANNULAR BOOSTER
(Model: 4500 HP)







85-496 Old Style
85-621 New Style (HP)
SHORT ANNULAR BOOSTER
(Model: 4500)











85-493
TALL ANNULAR BOOSTER
(Model: 4500)



85-622
ANNULAR BOOSTER HOUSING
(Model: 4500 HP)

 85-661 CHOKE PLATE 2300, 4150	 85-662 CHOKE PLATE 4781-1	 85-663 CHOKE PLATE 3310-4, 4779-6	 85-664 CHOKE PLATE 4412-2	 85-665 CHOKE PLATE 1050
 G282 CHOKE HOUSING GASKET	 80-5 CHOKE & THROTTLE PLATE SCREW 6-32X1/4" Length (OE Style)	 80-243 CHOKE HOUSING TO BODY SCREW 8-32X1" 5/32" Length (OE Style)	 80-245 FAST IDLE CAM PLATE SCREW 8-32X1" 7/16" Length (OE Style)	 85-471 ELECTRIC CHOKE KICKDOWN LEVER
 85-459 FAST IDLE CAM	 G1218 CHOKE STOVE GASKET	 G1320 CHOKE THERMOSTAT COVER GASKET (1/32" Thk.)	 G243 CHOKE THERMOSTAT COVER GASKET (1/32" Thk.)	 G1336 CHOKE THERMOSTAT COVER GASKET (1/16" Thk.)
 ID 1.875 OD 2.240 .046 THK. G97-1 CHOKE THERMOSTAT COVER GASKET	 ID 1.880 OD 2.185 .031 THK. 243F CHOKE THERMOSTAT COVER GASKET	 ID 1.890 OD 2.230 .046 THK. G918 CHOKE THERMOSTAT COVER GASKET	 ID 1.900 OD 2.180 .046 THK. G509 CHOKE THERMOSTAT COVER GASKET	
 20-95 CHOKE SHAFT For Screw-In Plate	 20-96 CHOKE SHAFT For Slide-In Plate	 101-543 CHOKE PULL-OFF	 102-1082 ELECTRIC CHOKE THERMOSTAT	

 G765 FLANGE GASKET Model: 2300	 G1064 FLANGE GASKET Model: 4160 1" 11/16" Bore	 G669 1/32" Thk. G1468 3/64" Thk. G1742 9/64" Thk. FLANGE GASKET Model: 4150/4160
 FLANGE GASKET ■ G1407 BLACK STANDARD MTRL. ■* G1407BL BLUE NON-STICK	 G954 DOMINATOR FLANGE GASKET	 G999 FLANGE GASKET
 FLANGE GASKET ■ G1881 BLACK STANDARD MTRL. ■* G1881BL BLUE NON-STICK	 G1646 FLANGE GASKET	 G1800 DOMINATOR FLANGE GASKET



85-523
PRIMARY FLOAT BOWL
Model: 4150/Double Pumper
(Center Hung)



85-752
PRIMARY DBL.
PUMP BOWL
(W/Glass Window)



85-525
PRIMARY FLOAT BOWL
Dominator
(Dual Inlet)



85-524
SECONDARY FLOAT BOWL
Model: 4150/Double Pumper
(Center Hung)



85-746
SECONDARY DBL.
PUMP BOWL
(W/Glass Window)



85-526
SECONDARY FLOAT BOWL
Dominator
(Dual Inlet)



85-542
SECONDARY FLOAT BOWL
Model: 4160
(Center Hung)



85-747
SECONDARY FUEL
BOWL ASSEMBLY
(W/Glass Window)




85-527
VACUUM SECONDARY FLOAT BOWL
(Dual Inlet)



85-582
PRIMARY FLOAT BOWL
Model: 4160
(Side Hung)



85-712
PRIMARY FLOAT BOWL
(Marine)



G110
G1733 (Nylon)
FUEL BOWL
SCREW GASKET



85-647 5" 1/2" Length
85-648 6" 3/16" Length
85-649 7" Length

FUEL TRANSFER TUBE



25-24
FUEL BOWL SCREW
12-24 X 1" 3/8" Length




25-20
SECONDARY FUEL BOWL SCREW
12-24 X 1" 7/8" Length












25-23
FUEL BOWL SCREW
12-24 X 2" Length




25-7
PRIMARY FUEL BOWL SCREW
12-24 X 2" 1/2" Length

 ID .220 OD .380 .062 THK. G110 FUEL BOWL SCREW GASKET	 ID .220 OD .380 .062 THK. G1733 FUEL BOWL SCREW GASKET (Nylon)	 ID .239 OD .379 .070 THK. G272 PUMP STEM SEAL O-RING	 ID .251 OD .382 .062 THK. G1194 FUEL BOWL SCREW WASHER (Rubber Coated Alum.)	 ID .312 OD .437 .031 THK. G59 FUEL LEVEL SIGHT PLUG GASKET (Fiber)	 ID .314 OD .500 .031 THK. 670F FUEL LEVEL SIGHT PLUG GASKET (Copper)	
 ID .323 OD .459 .031 THK. G1140 FUEL LEVEL SIGHT PLUG GASKET (Rubber Coated Alum.)	 ID .404 OD .554 .031 THK. 397F QUICK CHANGE BOWL JET PLUG GASKET	 ID .563 OD .737 .062 THK. G49 FUEL INLET FITTING GASKET	 ID .567 OD .710 .031 THK. G1206 FUEL INLET FITTING GASKET (Rubber Coated Alum.)	 ID .874 OD 1.032 .062 THK. G1126 FUEL FITTING GASKET (Teflon)	 ID .875 OD 1.062 .031 THK. G778 FUEL FITTING WASHER (Rubber Coated Alum.)	
 ID .880 OD 1.062 .025 THK. G1502 FUEL INLET WASHER (Rubber Coated Alum.)	 ID .884 OD 1.060 .046 THK. G1125 FUEL INLET FITTING WASHER	 ID .885 OD 1.060 .031 THK. G418 FUEL INLET FITTING WASHER	 85-338 NEEDLE & SEAT ADJUSTING NUT	 85-337 NEEDLE & SEAT SCREW	 85-606 SEE THRU FUEL LEVEL SIGHT PLUG	 85-517 FUEL LEVEL SIGHT PLUG
 NUT 1" 7/8"-20 90-174 FUEL INLET PLUG	 85-637 SECONDARY FUEL INLET BAFFLE	 85-636 PRIMARY FUEL INLET BAFFLE	 85-601 VENT VALVE SEAL	 85-624 FUEL TRANSFER TUBE SEAL	 85-638 FUEL BOWL VENT SCREEN	 5/16" Hose 9/16"-24 90-163 FUEL INLET SWIVEL FITTING
 1/2"-20 NUT 1" 7/8"-20 90-72 FUEL INLET FITTING	 5/8"-18 NUT 1" 7/8"-20 90-178 FUEL INLET FITTING (OE Style)	 5/8"-18 NUT 3/4" 9/16"-24 90-99 FUEL INLET FITTING GOVERNOR	 1/2"-20 NUT 11/16" 9/16"-24 90-10 FUEL INLET FITTING	 1/2"-20 NUT 9/16" 9/16"-20 90-140 FUEL INLET FITTING	 3/8" Hose NUT 11/16" 9/16"-24 90-175 FUEL INLET FITTING HOSE	 5/16" Hose NUT 11/16" 9/16"-24 90-176 FUEL INLET FITTING HOSE
 86-1005 12-24 HELICAL INSERT			 86-2005 12-24 TAP		 86-3005 12-24 PLAIN INST. TOOL	


 80-237 FLOAT BRACKET SCREW 6-32X9/16" Length (OE Style)	 32-32 FLOAT PIN OD .125"X.968" Length	 85-627 FLOAT BRACKET	 66-75 PRIMARY FLOAT SPRING (Side Hung)	 66-180 SECONDARY FLOAT SPRING (Side Hung)	 66-179 FLOAT BUMPER SPRING (Center Hung)
 85-723 MAIN JET EXTENSION	 100-103 BRASS FLOAT (Side Hung)		 100-98 NITROPHYL FLOAT (Side Hung)		
 100-79 NITROPHYL FLOAT (Center Hung)		 100-153 NOTCHED NITROPHYL FLOAT (Use With 85-723 Jet Extension)			
 100-102 BRASS FLOAT (Center Hung)		 100-149 PLASTIC FLOAT (Center Hung)			

 TRI POWER AIR CLEANER GASKET ■ G1812 BUNA RUBBER	 ID 5.030 OD 5.550 .046 THK. AIR CLEANER GASKET ■ G702BL BLUE NON-STICK * ■ G702RD RED NON-STICK ■ G702 BLACK STANDARD MTRL.	 ID 5.030 OD 5.550 .125 THK. AIR CLEANER GASKET ■ G1857 BLACK STANDARD MTRL.	 ID 7.290 OD 7.750 .046 THK. DOMINATOR AIR CLEANER GASKET ■ G1889 BLACK STANDARD MTRL.
 AIR HORN GASKET ■ G1620BL BLUE NON-STICK * ■ G1620RD RED NON-STICK ■ G1620 BLACK STANDARD MTRL.		 AIR HORN GASKET * ■ G1621BL BLUE NON-STICK ■ G1621RD RED NON-STICK ■ G1621 BLACK STANDARD MTRL.	
 AIR HORN GASKET ■ G1780 BLACK STANDARD MTRL.		 FUEL BOWL GASKET ■ G1063BL BLUE NON-STICK * ■ G1063GR GREEN NON-STICK ■ G1063RD RED NON-STICK ■ G1063 BLACK NITRILE	 FUEL BOWL GASKET * ■ G1046BL BLUE NON-STICK ■ G1046GR GREEN NON-STICK ■ G1046RD RED NON-STICK ■ G1046 BLACK NITRILE
 FUEL BOWL GASKET * ■ G1056BL BLUE NON-STICK ■ G1056GR GREEN NON-STICK ■ G1056RD RED NON-STICK ■ G1056 BLACK NITRILE	 FUEL BOWL GASKET * ■ G1329BL BLUE NON-STICK ■ G1329GR GREEN NON-STICK ■ G1329RD RED NON-STICK ■ G1329 BLACK NITRILE	 FUEL BOWL GASKET ■ G1863BL BLUE NON-STICK * ■ G1863RD RED NON-STICK ■ G1863 BLACK NITRILE	




METERING BLOCK GASKET

- G667BL BLUE NON-STICK
- G667GR GREEN NON-STICK
- * G667RD RED NON-STICK
- G667 BLACK NITRILE



METERING BLOCK GASKET

- G1156BL BLUE NON-STICK
- * G1156GR GREEN NON-STICK
- G1156RD RED NON-STICK
- G1156 BLACK NITRILE



METERING BLOCK GASKET

- * G1394BL BLUE NON-STICK
- G1394GR GREEN NON-STICK
- G1394RD RED NON-STICK
- G1394 BLACK NITRILE




METERING BLOCK GASKET

- * G1392BL BLUE NON-STICK
- G1392GR GREEN NON-STICK
- G1392RD RED NON-STICK
- G1392 BLACK NITRILE




METERING BLOCK GASKET

- G792BL BLUE NON-STICK
- G792GR GREEN NON-STICK
- * G792RD RED NON-STICK
- G792 BLACK NITRILE




METERING BLOCK GASKET

- G1062BL BLUE NON-STICK
- * G1062GR GREEN NON-STICK
- G1062RD RED NON-STICK
- G1062 BLACK NITRILE




METERING BLOCK GASKET

- G1057BL BLUE NON-STICK
- * G1057GR GREEN NON-STICK
- G1057RD RED NON-STICK
- G1057 BLACK NITRILE




METERING BLOCK GASKET

- * G1047BL BLUE NON-STICK
- G1047GR GREEN NON-STICK
- G1047RD RED NON-STICK
- G1047 BLACK NITRILE




METERING BLOCK GASKET

- G732BL BLUE NON-STICK
- G732GR GREEN NON-STICK
- * G732RD RED NON-STICK
- G732 BLACK NITRILE




METERING BLOCK GASKET

- G851BL BLUE NON-STICK
- G851GR GREEN NON-STICK
- * G851RD RED NON-STICK
- G851 BLACK NITRILE




METERING BLOCK GASKET

- G730BL BLUE NON-STICK
- * G730GR GREEN NON-STICK
- G730RD RED NON-STICK
- G730 BLACK NITRILE




METERING BLOCK GASKET

- * G1070BL BLUE NON-STICK
- G1070GR GREEN NON-STICK
- G1070RD RED NON-STICK
- G1070 BLACK NITRILE

















METERING BLOCK GASKET

- * G758BL BLUE NON-STICK
- G758RD RED NON-STICK
- G758 BLACK STANDARD MTRL.



METERING BLOCK GASKET

- G761BL BLUE NON-STICK
- * G761RD RED NON-STICK
- G761 BLACK STANDARD MTRL.

Model: 2300  THROTTLE BODY GASKET ■ G775 BLACK STANDARD MTRL.	Model: 2300  THROTTLE BODY GASKET * ■ G774BL BLUE NON-STICK ■ G774RD RED NON-STICK ■ G774 BLACK STANDARD MTRL.	Model: 4412  THROTTLE BODY GASKET ■ G1208BL BLUE NON-STICK * ■ G1208RD RED NON-STICK ■ G1208 BLACK STANDARD MTRL.
 THROTTLE BODY GASKET ■ G905 BLACK STANDARD MTRL.	 THROTTLE BODY GASKET ■ G1034 BLACK STANDARD MTRL.	1" 9/16" Bore  THROTTLE BODY GASKET * ■ G1364BL BLUE NON-STICK ■ G1364RD RED NON-STICK ■ G1364 BLACK STANDARD MTRL.
1" 7/16" Bore  THROTTLE BODY GASKET ■ G843BL BLUE NON-STICK * ■ G843RD RED NON-STICK ■ G843 BLACK STANDARD MTRL.	1" 7/16" Bore  THROTTLE BODY GASKET * ■ G1861BL BLUE NON-STICK ■ G1861RD RED NON-STICK ■ G1861 BLACK STANDARD MTRL.	1" 9/16" Bore  THROTTLE BODY GASKET ■ G844BL BLUE NON-STICK * ■ G844RD RED NON-STICK ■ G844 BLACK STANDARD MTRL.
1" 9/16" Bore  THROTTLE BODY GASKET * ■ G1862BL BLUE NON-STICK ■ G1862RD RED NON-STICK ■ G1862 BLACK STANDARD MTRL.	1" 3/4" Bore  THROTTLE BODY GASKET ■ G739BL BLUE NON-STICK * ■ G739RD RED NON-STICK ■ G739 BLACK STANDARD MTRL.	Model: 4180  THROTTLE BODY GASKET * ■ G1048BL BLUE NON-STICK ■ G1048RD RED NON-STICK ■ G1048 BLACK STANDARD MTRL.
1" 11/16" Bore  THROTTLE BODY GASKET ■ G694BL BLUE NON-STICK * ■ G694RD RED NON-STICK ■ G694 BLACK STANDARD MTRL.	Model: 4165  THROTTLE BODY GASKET * ■ G1146BL BLUE NON-STICK ■ G1146RD RED NON-STICK ■ G1146 BLACK STANDARD MTRL.	



HP-MAIN BODY

85-725 (Model: Dominator 1050)

85-726 (Model: Dominator 1150)



HP-MAIN BODY

85-734 (Model: 650)

85-731 (Model: 750)

85-713 (Model: 950)

85-714 (Model: 1000)



85-704
MAIN BODY
(Model: 3310)



85-701
MAIN BODY
(Model: 7448)



85-720
MAIN BODY
(Model: 4412)



85-722
MAIN BODY
(Model: 4779)



85-699
MAIN BODY
(Model: 4777)



85-707
MAIN BODY
(Model: 4779)

 85-688 3310 PRIMARY METERING BLOCK	 85-546 4500 BARE MACHINED METERING BLOCK	 85-692 7448 BARE ASSEMBLY METERING BLOCK	 85-727 4412 BARE ASSEMBLY METERING BLOCK
 85-708 4412 BARE MACHINED METERING BLOCK/With Plugs	 85-470 4150-HP PRIMARY & SECONDARY BARE MACHINED METERING BLOCK	 85-683 4779 BARE MACHINED METERING BLOCK	 85-678 1850 PRIMARY METERING BLOCK
 G283 IDLE SCREW WASHER (Cork)	 85-607 IDLE CHANNEL RESTRICTOR (.110 dia. x .021 orifice) * Specify Orifice		 85-608 AIR BLEED RESTRICTOR (.122 dia. x .016 pilot) * Specify Orifice
 0-137 METERING BLOCK PLUG (.192 Orifice)	 83-1 LEAD BALL PLUG 5/32"	 0-106 ALUMINUM RIVET PLUG (Size .132)	 0-122 IDLE NEEDLE CONCEALMENT PLUG 1/4"
 0-121 CHOKE PULLDOWN ADJUSTMENT PLUG 1/4"	 85-635 FUEL BOWL VENT BAFFLE	 85-626 METERING BODY VENT BAFFLE	 85-599 METERING PLATE BACK-UP PLATE
 80-228 DRIVE SCREW (OE Style)	 80-235 SECONDARY METERING PLATE SCREW 8-32X.536 Length (OE Style)	 16-173 IDLE MIXTURE SCREW 8-32X.870 Length (OE Style)	 16-27 IDLE MIXTURE SCREW 8-32X.927 Length
 17-168 STEEL TUBE 3/16"X1" Length	 17-165 4500 DOMINATOR IDLE WELL TUBE	 17-195 4500 HP IDLE WELL TUBE	 17-196 EMULSION TUBE

 ID .176 OD .316 .070 THK. G273 SECONDARY TUBE O-RING	 ID .259 OD .535 .021 THK. G1355 NEEDLE & SEAT LOCK SCREW WASHER	 ID .385 OD .621 .021 THK. G1360 NEEDLE & SEAT ADJUSTING NUT WASHER	 ID .259 OD .535 .021 THK. G1719 NEEDLE & SEAT WASHER (Nylon Ver.)	 ID .385 OD .621 .021 THK. G1718 NEEDLE & SEAT WASHER (Nylon Ver.)	 85-338 NEEDLE & SEAT ADJUSTING NUT
 85-337 NEEDLE & SEAT SCREW					
 31-597 NEEDLE & SEAT ASSEMBLY .097 Orifice	 31-596 NEEDLE & SEAT ASSEMBLY .110 Orifice	 31-764 NEEDLE & SEAT ASSEMBLY .097 Orifice (Spring Loaded) Off Road	 31-690 NEEDLE & SEAT ASSEMBLY .097 Orifice (Viton Needle)	 31-689 NEEDLE & SEAT ASSEMBLY .110 Orifice (Viton Needle)	
 31-738 NEEDLE & SEAT ASSEMBLY .120 Orifice (Viton Needle)	 31-773 NEEDLE & SEAT ASSEMBLY .130 Orifice (Viton Needle)	 31-762 NEEDLE & SEAT ASSEMBLY .097 Orifice (Stainless Steel Needle)	 31-761 NEEDLE & SEAT ASSEMBLY .110 Orifice (Stainless Steel Needle)	 31-763 NEEDLE & SEAT ASSEMBLY .120 Orifice (Stainless Steel Needle)	
 31-736 NEEDLE & SEAT ASSEMBLY .130 Orifice (Stainless Steel Needle) (Alcohol)	 31-737 NEEDLE & SEAT ASSEMBLY .150 Orifice (Stainless Steel Needle) (Alcohol)	 31-649 NEEDLE & SEAT ASSEMBLY .101 Orifice (Extra Threads)	 31-676 NEEDLE & SEAT ASSEMBLY .120 Orifice (Extra Threads)	 31-650 NEEDLE & SEAT ASSEMBLY .101 Orifice (Over Size Threads) (Extra Threads)	

STANDARD FLOW
POWER VALVES



WALKER #	H #	OPENING VACUUM
70-125	125-25	2.5"
70-135	125-35	3.5"
70-145	125-45	4.5"
70-150	125-50	5.0"
70-155	125-55	5.5"
70-165	125-65	6.5"
70-175	125-75	7.5"
70-185	125-85	8.5"
70-195	125-95	9.5"
70-105	125-105	10.5"
70-287 (Alcohol)	125-145	4.5"
70-288 (Alcohol)	125-165	6.5"

HI - FLOW
POWER VALVES



WALKER #	H #	OPENING VACUUM
70-225	125-125	2.5"
70-235	125-135	3.5"
70-245	125-145	4.5"
70-255	125-155	5.5"
70-265	125-165	6.5"
70-285	125-185	8.5"
70-205	125-1005	10.5"

POWER VALVE
PLUG




70-69
H # 26-36




G1220
POWER VALVE
GASKET



G911
POWER VALVE
GASKET



G1623
POWER VALVE
COVER GASKET



G1624
POWER VALVE
COVER GASKET



90-146
CHECK BALL
9/64" (Steel)



85-477
POWER VALVE
CHECK BALL SEAT



80-222
POWER VALVE
CHECK BALL SCREW



66-147
POWER VALVE
CHECK BALL SPRING

Color: White Load: Lightest  66-152 SEC. DIAPHRAGM SPRING (H# 20-13)	Color: Short Yellow Load: Lighter  66-153 SEC. DIAPHRAGM SPRING (H# 20-13)	Color: Long Yellow Load: Light  66-154 SEC. DIAPHRAGM SPRING (H# 20-13)	Color: Purple Load: Medium Light  66-155 SEC. DIAPHRAGM SPRING (H# 20-13)	Color: Plain Load: Medium  66-156 SEC. DIAPHRAGM SPRING (H# 20-13)	Color: Brown Load: Medium Heavy  66-157 SEC. DIAPHRAGM SPRING (H# 20-13)	Color: Black Load: Heavy  66-158 SEC. DIAPHRAGM SPRING (H# 20-13)
 G282 CHOKE HOUSING GASKET	 85-23 PLUNGER WASHER	 G1860 SEC. DIAPH. COVER RETAINER O-RING	 62-45 "E" CLIP RETAINER	 81-2 8/32" NUT	 85-628 CHOKE CONTROL BRACKET CLAMP	
 80-224 SECONDARY PUMP CAM LEVER SCREW 10-32X5/16" Length (OE Style)	 80-238 CHOKE CONTROL WIRE BRACKET SCREW 8-32X1/2" Length (OE Style)	 80-239 DIAPHRAGM COVER SCREW 8-32X9/16" Length (OE Style)	 80-242 DIAPHRAGM HOUSING TO BODY SCREW 8-32X1" Length (OE Style)	 85-629 CHOKE WIRE BRACKET	 85-642 SECONDARY DIAPHRAGM LEVER	
 85-645 SECONDARY DIAPHRAGM COVER	 85-650 SECONDARY DIAPHRAGM COVER		 64-170 SECONDARY DIAPHRAGM ASSEMBLY (1" 7/8" Length)	 64-236 SECONDARY DIAPHRAGM ASSEMBLY (1" 31/32" Length)		
 64-197 SECONDARY DIAPHRAGM ASSEMBLY (2" 1/16" Length)	 64-328 GOVERNOR DIAPHRAGM ASSEMBLY		 64-238 SECONDARY DIAPHRAGM ASSEMBLY	 64-487 SECONDARY DIAPHRAGM ASSEMBLY (Tri-Power)		

 82-15 STAINLESS STEEL WASHER	 62-47 "E" CLIP RETAINER	 32-11 COTTER PIN 3/64"X3/8"	 22-162 PUMP ARM STUD	 22-173 PUMP ARM STUD (Early Style)	 22-164 THROTTLE SHAFT BUSHING
 R152 CONVERTS MECHANICAL TO ELECTRIC CHOKE		 R145 CHOKE ROD Model: 4150		 R147 CHOKE ROD Model: 4165, 4175	
 R53 ELECTRIC CHOKE ROD Model: 2300, 4160		 R144 CHOKE DIAPHRAGM LINK Model: 4165		 R143 DOMINATOR THROTTLE LEVER CONNECTING LINK	
 R151 SECONDARY CONNECTING ROD	 50-54 MECHANICAL SECONDARY CONNECTING ROD Model: 4150	 R149 MECHANICAL SECONDARY CONNECTING ROD Model: 4011	 50-30 VACUUM SECONDARY CONNECTING ROD		
 R142 VACUUM SECONDARY CONNECTING ROD Model: 4150			 R148 VACUUM SECONDARY CONNECTING ROD Model: 4175		

 82-16 STAINLESS STEEL WASHER Model:4500	 22-163 THROTTLE SHAFT BUSHING (Teflon) .015 Thk.	 G1128 THROTTLE SHAFT BUSHING (Teflon) .022 Thk.	 G1127 THROTTLE SHAFT BUSHING (Teflon) .015 Thk.	 G540 THROTTLE SHAFT BUSHING (Teflon) .022 Thk.	 22-31 THROTTLE SHAFT BUSHING (Teflon) .360 I.D. X .500 O.D. X .400" Length
 22-134 SHAFT BUSHING	 66-181 FAST IDLE CAM LEVER SPRING	 66-173 SECONDARY THROTTLE SHAFT SPRING	 66-182 PRIMARY THROTTLE SHAFT SPRING Model: 4500	 66-183 PRIMARY THROTTLE SHAFT SPRING Model: 4500	 80-224 SECONDARY PUMP CAM LEVER SCREW 10-32X5/16" Length (OE Style)
 80-232 THROTTLE LEVER SCREW 10-32X7/8" Length	 80-233 LINKAGE PIVOT SCREW 1/4"-20X3" 1/4" Length	 85-609 LINKAGE GUIDE BUSHING Model: 4500	 85-616 FAST IDLE CAM PICK UP LEVER	 85-643 SECONDARY THROTTLE LEVER Model: 4500	 85-603 PRIMARY THROTTLE LEVER 1:1 (Model: 4500)
 85-604 PRIMARY THROTTLE LEVER (Model: 4500) Progressive	 85-605 PRIMARY THROTTLE LEVER (Model: 4500) Soft Progressive	 85-615 FAST IDLE CAM LEVER	 85-644 THROTTLE LEVER (Model: 4500)		
 20-93 SECONDARY THROTTLE SHAFT (Model: 4150)	 20-94 PRIMARY THROTTLE SHAFT (Model: 4150)	 20-97 w/Ford Kickdown Lever 3310 20-98 w/Ford Kickdown Lever 1850 PRIMARY THROTTLE SHAFT			

STANDARD MAIN JETS



WALKER #	H #	JET #	ORIFICE SIZE	WALKER #	H #	JET #	ORIFICE SIZE
120-40-40	122-40	40	.040	120-40-76	122-76	76	.084
120-40-41	122-41	41	.041	120-40-77	122-77	77	.086
120-40-42	122-42	42	.042	120-40-78	122-78	78	.089
120-40-43	122-43	43	.043	120-40-79	122-79	79	.091
120-40-44	122-44	44	.044	120-40-80	122-80	80	.093
120-40-45	122-45	45	.045	120-40-81	122-81	81	.093
120-40-46	122-46	46	.046	120-40-82	122-82	82	.093
120-40-47	122-47	47	.047	120-40-83	122-83	83	.094
120-40-48	122-48	48	.048	120-40-84	122-84	84	.099
120-40-49	122-49	49	.048	120-40-85	122-85	85	.100
120-40-50	122-50	50	.049	120-40-86	122-86	86	.101
120-40-51	122-51	51	.050	120-40-87	122-87	87	.103
120-40-52	122-52	52	.052	120-40-88	122-88	88	.104
120-40-53	122-53	53	.052	120-40-89	122-89	89	.104
120-40-54	122-54	54	.053	120-40-90	122-90	90	.104
120-40-55	122-55	55	.054	120-40-91	122-91	91	.105
120-40-56	122-56	56	.055	120-40-92	122-92	92	.105
120-40-57	122-57	57	.056	120-40-93	122-93	93	.105
120-40-58	122-58	58	.057	120-40-94	122-94	94	.108
120-40-59	122-59	59	.058	120-40-95	122-95	95	.118
120-40-60	122-60	60	.060	120-40-96	122-96	96	.118
120-40-61	122-61	61	.060	120-40-97	122-97	97	.125
120-40-62	122-62	62	.061	120-40-98	122-98	98	.125
120-40-63	122-63	63	.062	120-40-99	122-99	99	.125
120-40-64	122-64	64	.064	120-40-100	122-100	100	.128
120-40-65	122-65	65	.065	120-40-101	122-101	101	.129
120-40-66	122-66	66	.066	120-40-102	122-102	102	.132
120-40-67	122-67	67	.068	120-40-103	122-103	103	.135
120-40-68	122-68	68	.069	120-40-104	122-104	104	.139
120-40-69	122-69	69	.070	120-40-105	122-105	105	.144
120-40-70	122-70	70	.073	120-40-106	122-106	106	.145
120-40-71	122-71	71	.076	120-40-107	122-107	107	.148
120-40-72	122-72	72	.079	120-40-108	122-108	108	.145
120-40-73	122-73	73	.079	120-40-109	122-109	109	.165
120-40-74	122-74	74	.081	120-40-110	122-110	110	.167
120-40-75	122-75	75	.082				

ADJUSTABLE AIR BLEEDS



120-7
(12-28 Thread)
* Specify Orifice



120-8
(10-32 Thread)



85-611
(10-32 Thread)
w/.023 hole

IDLE CHANNEL RESTRICTOR

PRESS-IN BLEEDS



85-607
(.110 dia. x .021 orifice)
* Specify Orifice



85-608
(.122 dia. x .016 pilot)
* Specify Orifice



85-613
(.125 dia. x .020 orifice)
* Specify Orifice

NITROUS - JETS



WALKER #	ORIFICE SIZE	WALKER #	ORIFICE SIZE
120-50-014	.014	120-50-068	.068
120-50-015	.015	120-50-069	.069
120-50-016	.016	120-50-070	.070
120-50-017	.017	120-50-071	.071
120-50-018	.018	120-50-072	.072
120-50-019	.019	120-50-073	.073
120-50-020	.020	120-50-074	.074
120-50-021	.021	120-50-075	.075
120-50-022	.022	120-50-076	.076
120-50-023	.023	120-50-077	.077
120-50-024	.024	120-50-078	.078
120-50-025	.025	120-50-079	.079
120-50-026	.026	120-50-080	.080
120-50-027	.027	120-50-081	.081
120-50-028	.028	120-50-082	.082
120-50-029	.029	120-50-083	.083
120-50-030	.030	120-50-084	.084
120-50-031	.031	120-50-085	.085
120-50-032	.032	120-50-086	.086
120-50-033	.033	120-50-087	.087
120-50-034	.034	120-50-088	.088
120-50-035	.035	120-50-089	.089
120-50-036	.036	120-50-090	.090
120-50-037	.037	120-50-091	.091
120-50-038	.038	120-50-092	.092
120-50-039	.039	120-50-093	.093
120-50-040	.040	120-50-094	.094
120-50-041	.041	120-50-095	.095
120-50-042	.042	120-50-096	.096
120-50-043	.043	120-50-097	.097
120-50-044	.044	120-50-098	.098
120-50-045	.045	120-50-099	.099
120-50-046	.046	120-50-100	.100
120-50-047	.047	120-50-101	.101
120-50-048	.048	120-50-102	.102
120-50-049	.049	120-50-103	.103
120-50-050	.050	120-50-104	.104
120-50-051	.051	120-50-105	.105
120-50-052	.052	120-50-106	.106
120-50-053	.053	120-50-107	.107
120-50-054	.054	120-50-108	.108
120-50-055	.055	120-50-109	.109
120-50-056	.056	120-50-110	.110
120-50-057	.057	120-50-111	.111
120-50-058	.058	120-50-112	.112
120-50-059	.059	120-50-113	.113
120-50-060	.060	120-50-114	.114
120-50-061	.061	120-50-115	.115
120-50-062	.062	120-50-116	.116
120-50-063	.063	120-50-117	.117
120-50-064	.064	120-50-118	.118
120-50-065	.065	120-50-119	.119
120-50-066	.066	120-50-120	.120
120-50-067	.067		

BRASS NITROUS - JETS



WALKER #	ORIFICE SIZE
120-60-00	.014 Pilot Hole

** Drill To Required Size*

ALCOHOL - JETS



WALKER #	ORIFICE SIZE
159-116	.116
159-120	.120
159-125	.125
159-128	.128
159-136	.136
159-140	.140
159-144	.144
159-149	.149
159-154	.154
159-157	.157
159-161	.161
159-166	.166
159-169	.179
159-173	.173
159-177	.177
159-180	.180
159-185	.185
159-189	.189
159-193	.193
159-199	.199
159-201	.201
159-205	.205
159-209	.209
159-213	.213
159-221	.221
159-228	.228

WALKER #	DESCRIPTIONS
G282 (Qty. 2)	Choke Housing Gasket
G918	Choke Thermostat Cover Gasket
62-46	Rod Retainer
85-78	Thermostat Cover Retainer
80-243 (Qty. 3)	Choke Housing To Body Screw
80-238 (Qty. 3)	Choke Control Wire Bracket Screw
80-234	Fast Idle Cam Lever Screw
85-471	Electric Choke Kickdown Lever
85-630	Choke Housing Assembly
66-51	Fast Idle Cam Lever Adj. Screw Spring
R152	Converts Mechanical To Electric Choke
102-1082	Electric Choke Thermostat
85-666	Wire & Terminal Assembly
85-667	Wire Assembly
5/32Hose	Vacuum Hose

ELECTRIC CHOKE KIT

* Components Sold Individually

45-223
(Holley Ref.# Only)



WALKER #	DESCRIPTIONS
83-3	Lead Ball Plug
17-193	Vacuum Tee Connector
G918	Choke Thermostat Cover Gasket
62-46	Rod Retainer
85-78	Thermostat Cover Retainer
80-243 (Qty. 3)	Choke Housing To Body Screw
80-238 (Qty. 3)	Choke Control Wire Bracket Screw
80-234	Fast Idle Cam Lever Screw
80-221 (Qty. 3)	Choke Housing Screw
85-612 (Qty. 3)	Choke Housing Spacer
85-471	Electric Choke Kickdown Lever
85-631	Choke Housing Assembly
66-51	Fast Idle Cam Lever Adj. Screw Spring
R152	Converts Mechanical To Electric Choke
102-1082	Electric Choke Thermostat
85-666	Wire & Terminal Assembly
85-667	Wire Assembly
1/8Hose	Vacuum Hose

ELECTRIC CHOKE KIT

* Components Sold Individually

45-224
(Holley Ref.# Only)



WALKER #	DESCRIPTIONS
83-3	Lead Ball Plug
81-2	Cover Nut
80-245 (Qty. 3)	Fast Idle Cam Plate Screw
80-238	Choke Control Wire Bracket Screw
85-614	Choke Lever & Swivel
85-615	Fast Idle Cam Lever
85-616	Fast Idle Cam Lever P/U Lever
85-628	Choke Control Bracket Clamp
85-629	Choke Wire Bracket
85-632	Back-Up Plate Assembly
85-633	Fast Idle Cam & Plate Assembly
85-634	Choke Wire Bracket
66-181	Fast Idle Cam Lever Spring
G600-4 (Qty. 2)	Vacuum Tube Cap

MANUAL CHOKE KIT

* Components Sold Individually

45-225
(Holley Ref.# Only)





85-735
SECONDARY BOWL
DICHROMATE



85-760
CHOKE SHAFT



85-54
CHOKE PISTON
PLUG 11/16"



120-8
GOVERNOR AIR JET
(10-32 Thread)



0-121
CHOKE PULLDOWN
ADJUSTMENT PLUG 1/4"



85-206
THROTTLE SHAFT
PLUG 1/4"



0-126
THROTTLE SHAFT
CUP 3/8"



0-137
METERING BLOCK
PLUG
(.192 Orifice)



0-106
ALUMINUM RIVET
PLUG (Size .132)



0-122
IDLE NEEDLE
CONCEALMENT
PLUG 1/4"



0-112
ALUMINUM IDLE
PLUG 3/16"



85-660
CHOKE ROD HOLE
BLOCK-OFF PLATE
.125 Size



22-17
PLASTIC THROTTLE LVR.
GROM BUSH



17-198
DISCHARGE TUBE
0.57



17-59
BRASS PASSAGE
TUBE



17-43
BRASS BOWL VENT TUBE
O.D. 5/16"X1" 3/8" Length



17-164
MID RANGE TUBE
O.D. 1/8"X7/8" Length



17-72
BOWL VENT TUBE
O.D. 5/16"X1" 5/32" Length



17-167
BOWL VENT TUBE
O.D. 5/16"X1" 5/16" Length



17-7
VENT TUBE
O.D. 5/16"X1" 11/16" Length



85-453
"J" TUBE
Marine Application



85-732
DOMINATOR "J" TUBE
Marine Application



85-741
BOWL VENT TUBE
TRUCK AVENGER

APPLICATION GUIDE

ENGINE/MODEL	MFG. CODE	MODEL	NEEDLE & SEAT	ACC. PUMP	POWER VALVE	FLANGE GASKET	TUNE-UP KIT
--------------	-----------	-------	---------------	-----------	-------------	---------------	-------------

CARTER

400,500,600,625,750 CFM	C-4	AFB	31-730 (2Req.)	64-257	-----	G741	15881A
500,600,750,800 CFM	C-4	AFB	31-733 (2Req.)	64-332	-----	G1407	159016
<i>Square Flange / Performance Equipped</i>							

HOLLEY

500 CFM	H-2	2300	31-676	64-288	70-155	G765	15879
600,650,700,750,800 812,830,850 CFM	H-4	4150	31-689 (2 Req.)	64-326, 64-288	70-165	G669	15456B
650,750 CFM	H-4	4010	31-689 (2 Req.)	64-326	70-165	G745	151095
650,800 CFM	H-4	4011	31-689 (2 Req.)	64-326	70-165	G963	151096
750,1050,1150,1250 CFM	H-4	4500	31-689 (2 Req.)	64-288	See Page #20	G954	159018
<i>(Marine Applications)</i>							
600 CFM	H-4	4160	31-595 (2 Req.)	64-197	70-150	G676	159017

ROCHESTER

750,795,8850	R-4	QUAD.	31-546	64-344	-----	G1697	159055
750,795,850	R-4	QUAD.	31-678	64-344	-----	G581,G1697	159056

* Please See Tune-Up Kits Buyer's Guide For Complete Kit Contents.


* All Others See Carburetor Tune-Up Kit Catalog # WC 17-2007



15881A (C-4)



159016 (C-4)



15879 (H-2)



15456B (H-4)



151095 (H-4)



151096 (H-4)



159018 (H-4)



 500-9000 (57 LB/HR) Spray Type: Pencil	 500-9001 (86 LB/HR) Spray Type: Pencil	 500-9002 (75 LB/HR) Spray Type: Pencil	 500-9003 (57 LB/HR) Spray Type: Pencil	 500-9004 (63 LB/HR) Spray Type: Cone	 500-9005 (63 LB/HR) Spray Type: Cone
 500-9006 (63 LB/HR) Spray Type: Pencil	 500-9007 (45 LB/HR) Spray Type: Split	 500-9008 (48 LB/HR) Spray Type: Cone	 500-9009 (82 LB/HR) Spray Type: Pencil	 500-9010 (82 LB/HR) Spray Type: Pencil	 500-9011 (46 LB/HR) Spray Type: Cone

<u>USE WITH WALKER INJECTORS</u> 500-1016, 500-1017, 500-1018 500-1021, 500-1022, 500-1030 500-1031, 500-1032, 500-1033 500-1034, 500-1035, 500-1036 & 500-1037  17003 FUEL INJECTOR SEAL KIT	 500-1016 (31 LB/HR) (2.2 OHM)	 500-1018 (35 LB/HR) (2.2 OHM)	 500-1022 (24 LB/HR) (16 OHM)	
 500-1030 (42 LB/HR) (16 OHM) w/3 Hole Nozzle	 500-1031 (36 LB/HR) (16 OHM)	 500-1032 (52 LB/HR) (2.4 OHM)	 500-1033 (20 LB/HR) (16 OHM) w/3 Hole Nozzle	 500-1036 (38 LB/HR) (16 OHM) w/20° Dual Nozzle



250-25001
 OXYGEN SENSOR
 5 WIRE UEGO
 325mm



250-25022
 OXYGEN SENSOR
 5 WIRE LSU 4.2
 725mm



250-25033
 OXYGEN SENSOR
 5 WIRE LSU 4.9
 900mm



250-25070
 OXYGEN SENSOR
 5 WIRE LSU 4.2
 400mm



250-25075
 OXYGEN SENSOR
 5 WIRE LSU 4.9
 325mm



250-25076
 OXYGEN SENSOR
 5 WIRE LSU 4.2
 515mm



200-1043
THROTTLE POSITION
SENSOR



210-1001
AIR CHARGE
TEMPERATURE



210-1501
AIR CHARGE TEMPERATURE
SENSOR PIGTAIL



211-1012
COOLANT TEMPERATURE
SENSOR



211-1500
COOLANT TEMPERATURE
SENSOR PIGTAIL



215-1003
IDLE AIR
CONTROL MOTOR



225-1001
MAP SENSOR ASSEMBLY
1 BAR



225-1008
MAP SENSOR ASSEMBLY
2 BAR



225-1026
MAP SENSOR ASSEMBLY
3 BAR



225-1039
MAP SENSOR ASSEMBLY
4 BAR



245-1017
MASS AIR FLOW
SENSOR



245-1062
MASS AIR FLOW
SENSOR

 90-164 O2 Sensor Bung 1215 mild Steel 1.0 dia. Thickness: 0.400 Threads: M18X1.5-6E	 90-186 O2 Sensor Stepped Bung 1215 mild Steel 1.0 dia. Thickness: 0.315 Threads: M10X1.25 6H	 90-190SS O2 Sensor Bung - 62° angle 303 Stainless Steel 1.0 dia. Thickness: 0.975 Threads: M18X1.5-6H	 90-200SS Bung Plug - internal 8mm Hex 303 Stainless Steel 7/8 dia. Thickness: 0.510 Threads: M18X1.5-6E
 90-164SS O2 Sensor Bung 303 Stainless Steel 1.0 dia. Thickness: 0.400 Threads: M18X1.5-6E	 90-186SS O2 Sensor Stepped Bung 303 Stainless Steel 1.0 dia. Thickness: 0.315 Threads: M10X1.25 6H	For Off Road/Racing Only  90-195 O2 Sensor Bung* 1215 mild Steel 1.0 dia. Thickness: 1.000 Threads: M18X1.5-6H	 90-203 Bung Plug - internal 6mm Hex 1215 mild Steel 5/8 dia. Thickness: 0.400 Threads: M12X1.25-6E
 90-164SS-C O2 Sensor Bung w/Curve 303 Stainless Steel 1.0 dia. Thickness: 0.400 Threads: M18X1.5-6E	 90-187 O2 Sensor Stepped Bung 1215 mild Steel 1.0 dia. Thickness: 0.315 Threads: M12X1.25-6H	For Off Road/Racing Only  90-195SS O2 Sensor Bung* 303 Stainless Steel 1.0 dia. Thickness: 1.000 Threads: M18X1.5-6H	 90-203SS Bung Plug - internal 6mm Hex 303 Stainless Steel 5/8 dia. Thickness: 0.400 Threads: M12X1.25-6E
 90-184 O2 Sensor Stepped Bung 1215 mild Steel 1.0 dia. Thickness: 0.530 Threads: M18X1.5-6H	 90-187SS O2 Sensor Stepped Bung 303 Stainless Steel 1.0 dia. Thickness: 0.315 Threads: M12X1.25-6H	 90-195SS-C O2 Sensor Bung w/Curve 303 Stainless Steel 1.0 dia. Thickness: 1.000 Threads: M18X1.5-6H	 90-204 O2 Sensor Bung 1215 mild Steel 5/8 Hex. Thickness: 0.570 Threads: M12X1.25-6E
 90-184SS O2 Sensor Stepped Bung 303 Stainless Steel 1.0 dia. Thickness: 0.530 Threads: M18X1.5-6H	 90-189 O2 Sensor Bung 1215 mild Steel 1.0 dia. Thickness: 0.500 Threads: M12X1.25-6H	 90-199 O2 Sensor Bung 1215 mild Steel 1.0 dia. Thickness: 0.500 Threads: M18X1.5-6H	 90-204SS O2 Sensor Bung 303 Stainless Steel 5/8 Hex. Thickness: 0.570 Threads: M12X1.25-6E
 90-185 O2 Sensor Bung Plug 1215 mild Steel 1.0 Hex Thickness: 0.650 Threads: M18X1.5-6E	 90-189SS O2 Sensor Bung 303 Stainless Steel 1.0 dia. Thickness: 0.500 Threads: M12X1.25-6H	 90-199SS O2 Sensor Bung 303 Stainless Steel 1.0 dia. Thickness: 0.500 Threads: M18X1.5-6H	 90-206SS O2 Sensor Bung - 62° angle w/Curve 303 Stainless Steel 1.0 dia. Thickness: 0.824 Threads: M18X1.5-6H
 90-185SS O2 Sensor Bung Plug 303 Stainless Steel 1.0 Hex Thickness: 0.650 Threads: M18X1.5-6E	 90-190 O2 Sensor Bung - 62° angle 1215 mild Steel 1.0 dia. Thickness: 0.975 Threads: M18X1.5-6H	 90-200 Bung Plug - internal 8mm Hex 1215 mild Steel 7/8 dia. Thickness: 0.510 Threads: M18X1.5-6E	 90-207SS O2 Sensor Bung w/Curve 303 Stainless Steel 1.0 dia. Thickness: 0.550 Threads: M18X1.5-6H

Note: All parts listed on this page are available in a box of five pieces. The part number for a box of five will have a "P" suffix. Example: 90-185P or 90-187SSP

**Available in
both Steel &
Stainless Steel**

**PERFECT FOR
HIGH PERFORMANCE,
CUSTOM & REPAIR JOBS!**

Walker's new bung kits feature 6 popular bungs and include plugs, gaskets and flanges. These handy kits will save busy installers time and increase profits.

Custom bung sizes available!

**GIVE US A CALL AND ASK FOR
MORE DETAILS ABOUT THIS
EXCITING ADDITION TO OUR
OXYGEN SENSOR PROGRAM.
(636) 257-1700**

Steel Bungs, Plugs
and Flanges
WPA-105



Stainless Steel Bungs,
Plugs and Flanges
WPA-105SS

What is included:

WPA-105SS

PART NUMBER	QUANTITY	DESCRIPTION
85-417	2 Ea	Flange, 38-44mm
85-418	2 Ea	Flange, 44-54mm
90-164SS	5 Ea	Stainless Steel Bung 18mm
90-184SS	5 Ea	Stainless Steel Bung 18mm (Stepped)
90-185SS	5 Ea	Stainless Steel Bung 18mm (Plug)
90-186SS	5 Ea	Stainless Steel Bung 10mm (Stepped)
90-187SS	5 Ea	Stainless Steel Bung 12mm (Stepped)
90-190SS	5 Ea	Stainless Steel Bung 18mm (Angled)
90-195SS	5 Ea	Stainless Steel Bung 18mm (1")
165-197	2 Ea	Gasket, 44-54mm Flange
165-202	2 Ea	Gasket, 38-44mm Flange

WPA-105

PART NUMBER	QUANTITY	DESCRIPTION
85-417	2 Ea	Flange, 38-44mm
85-418	2 Ea	Flange, 44-54mm
90-164	5 Ea	Steel Bung 18mm
90-184	5 Ea	Steel Bung 18mm (Stepped)
90-185	5 Ea	Steel Bung 18mm (Plug)
90-186	5 Ea	Steel Bung 10mm (Stepped)
90-187	5 Ea	Steel Bung 12mm (Stepped)
90-190	5 Ea	Steel Bung 18mm (Angled)
90-195	5 Ea	Steel Bung 18mm (1")
165-197	2 Ea	Gasket, 44-54mm Flange
165-202	2 Ea	Gasket, 38-44mm Flange





Comprehensive Engine Management Solutions

- Carburetion Repair Kits and Accessories
- Fuel Injection Repair Kits and Accessories
- Oxygen Sensors, Bungs and O2 Tools
- Ignition Wire Sets
- Coil-On-Plug Boots
- Ignition Coils
- Coil-On-Plug
- Exhaust Gas Temperature Sensors
- Engine Management Components:
ACT Sensors, ECT Sensors, Cam and Crankshaft Position Sensors, EGR Valve Position Sensors, EGR Valve Pressure Sensors, MAP Sensors, MAF Sensors, Throttle Position Sensors, EGR Valves, IAC Motors, TABPV, Fuel Pressure Regulators, TBI and Port Fuel Injectors, Fuel Seal Repair Kits and High Temperature Sensors.



YOUR FIRST CHOICE IN QUALITY PRODUCTS



HIGH PERFORMANCE

**Contact us today for the
latest information on our global
range of products.**

WALKER PRODUCTS

525 WEST CONGRESS STREET • PACIFIC, MISSOURI 63069

U.S. Corporate Office: 636-257-2400 • Fax: 636-257-6211

Customer Service: 636-257-1700 • Technical Support: 844-252-0114

U.K. Sales Office and Distribution Center: +44-121-459-8006

saleseurope@walkerproducts.com

Oficinas para Mexico: +52-72-2402-2167

Soporte tecnico y servicio al cliente en Mexico: +52-72-2207-8957

www.walkerproducts.com