





HIGH PERFORMANCE OXYGEN SENSORS

HIGH PERFORMANCE PRODUCTS • OXYGEN SENSORS • BUNGS & PLUGS




5 WIRE WIDE BAND SENSOR
250-25001
5 WIRE UEGO, 325 mm




5 WIRE WIDE BAND SENSOR
250-25022
5 WIRE LSU 4.2, 725 mm



5 WIRE WIDE BAND SENSOR
250-25033
5 WIRE LSU 4.9, 900 mm



5 WIRE WIDE BAND SENSOR
250-25075
WIRE LSU 4.9, 325 mm



5 WIRE WIDE BAND SENSOR
250-25076
5 WIRE LSU 4.2, 515 mm

WALKER PRODUCTS • 525 WEST CONGRESS STREET • PACIFIC, MO 63069 • www.walkerproducts.com
U.S. Corporate Office: 636-257-2400 • Fax: 636-257-6211 • Customer Service: 636-257-1700 • Technical Support: 844-252-0114
U.K. Sales Office and Distribution Center: +44-121-459-8006 • saleseurope@walkerproducts.com
Oficinas para Mexico: +52-72-2402-2167 • Soporte tecnico y servicio al cliente en Mexico: +52-72-2207-8957



HIGH PERFORMANCE O2 SENSOR BUNGS & PLUGS

HIGH PERFORMANCE PRODUCTS • OXYGEN SENSORS • BUNGS & PLUGS

 90-164 1215 MILD STEEL THREADS: M18 x 1.5-6E 1.0" OD x 0.400" THICK	 90-164P 5 PACK 1215 MILD STEEL THREADS: M18 x 1.5-6E 1.0" OD x 0.400" THICK	 90-164SS 303 STAINLESS STEEL THREADS: M18 x 1.5-6E 1.0" OD x 0.400" THICK	 90-164SS-C 303 STAINLESS STEEL WITH CURVE THREADS: M18 x 1.5-6E 1.0" OD x 0.400" THICK	 90-184 1215 MILD STEEL STEPPED THREADS: M18 x 1.5-6E 1.0" OD x 0.875" STEP x 0.530" THICK	 90-184SS 303 STAINLESS STEEL STEPPED THREADS: M18 x 1.5-6E 1.0" OD x 0.875" STEP x 0.530" THICK	 90-184P 5 PACK 1215 MILD STEEL STEPPED THREADS: M18 x 1.5-6E 1.0" OD x 0.875" STEP x 0.530" THICK
 90-185 1215 MILD STEEL THREADS: M18 x 1.5-6E 1.0" Hex, 0.650" Thick Use with 1401F Copper Washer	 90-185P 5 PACK 1215 MILD STEEL THREADS: M18 x 1.5-6E 1.0" Hex, 0.650" Thick Use with 1401F Copper Washer	 90-185SS 303 STAINLESS STEEL THREADS: M18 x 1.5-6E 1.0" Hex, 0.650" Thick Use with 1401F Copper Washer	 90-185SSP 5 PACK 303 STAINLESS STEEL THREADS: M18 x 1.5-6E 1.0" Hex, 0.650" Thick Use with 1401F Copper Washer	 90-186 1215 MILD STEEL STEPPED THREADS: M10 x 1.25-6H 1.0" OD x 0.735" STEP x 0.315" THICK	 90-186P 5 PACK 1215 MILD STEEL STEPPED THREADS: M10 x 1.25-6H 1.0" OD x 0.735" STEP x 0.315" THICK	 90-186SS 303 STAINLESS STEEL STEPPED THREADS: M10 x 1.25-6H 1.0" OD x 0.735" STEP x 0.315" THICK
 90-186SSP 5 PACK 303 STAINLESS STEEL STEPPED THREADS: M10 x 1.25-6H 1.0" OD x 0.735" STEP x 0.315" THICK	 90-187 1215 MILD STEEL STEPPED THREADS: M12 x 1.25-6E 1.0" OD x 0.740" STEP x 0.315" THICK	 90-187P 5 PACK 1215 MILD STEEL STEPPED THREADS: M12 x 1.25-6E 1.0" OD x 0.740" STEP x 0.315" THICK	 90-187SS 303 STAINLESS STEEL STEPPED THREADS: M12 x 1.25-6E 1.0" OD x 0.740" STEP x 0.315" THICK	 90-187SSP 5 PACK 303 STAINLESS STEEL STEPPED THREADS: M12 x 1.25-6E 1.0" OD x 0.740" STEP x 0.315" THICK	 90-189 1215 MILD STEEL THREADS: M12 x 1.25-6H 1.0" OD x 0.500" THICK	 90-189P 5 PACK 1215 MILD STEEL THREADS: M12 x 1.25-6H 1.0" OD x 0.500" THICK
 90-189SS 303 STAINLESS STEEL THREADS: M12 x 1.25-6H 1.0" OD x 0.500" THICK	 90-189SSP 5 PACK 303 STAINLESS STEEL THREADS: M12 x 1.25-6H 1.0" OD x 0.500" THICK	 90-190 1215 MILD STEEL 62° ANGLE THREADS: M18 x 1.5-6H 1.0" OD x 0.975" THICK	 90-190P 5 PACK 1215 MILD STEEL 62° ANGLE THREADS: M18 x 1.5-6H 1.0" OD x 0.975" THICK	 90-190SS 303 STAINLESS STEEL 62° ANGLE THREADS: M18 x 1.5-6H 1.0" OD x 0.975" THICK	 90-190SSP 5 PACK 303 STAINLESS STEEL 62° ANGLE THREADS: M18 x 1.5-6H 1.0" OD x 0.975" THICK	 90-191 1215 MILD STEEL THREADS: 1/2-28UNEF
 90-195 FOR OFF-ROAD RACING ONLY 1215 MILD STEEL THREADS: M18 x 1.5-6H 1.0" OD x 1.0" THICK	 90-195P 5 PACK FOR OFF-ROAD RACING ONLY 1215 MILD STEEL THREADS: M18 x 1.5-6H 1.0" OD x 1.0" THICK	 90-195SS 303 STAINLESS STEEL THREADS: M18 x 1.5-6H 1.0" OD x 1.0" THICK	 90-195SSP 5 PACK 303 STAINLESS STEEL THREADS: M18 x 1.5-6H 1.0" OD x 1.0" THICK	 90-195SS-C 303 STAINLESS STEEL WITH CURVE THREADS: M18 x 1.5-6H 1.0" OD x 1.0" THICK	 90-199 1215 MILD STEEL THREADS: M18 x 1.5-6H 1.0" OD x 0.500" THICK	 90-199P 5 PACK 1215 MILD STEEL THREADS: M18 x 1.5-6H 1.0" OD x 0.500" THICK
 90-199SS 303 STAINLESS STEEL THREADS: M18 x 1.5-6H 1.0" OD x 0.500" THICK	 90-199SSP 5 PACK 303 STAINLESS STEEL THREADS: M18 x 1.5-6H 1.0" OD x 0.500" THICK	 90-200 INTERNAL 8MM HEX 1215 MILD STEEL THREADS: M18 x 1.5-6E .875" OD x 0.510" THICK	 90-200P 5 PACK INTERNAL 8MM HEX 1215 MILD STEEL THREADS: M18 x 1.5-6E .875" OD x 0.510" THICK	 90-200SS INTERNAL 8MM HEX 303 STAINLESS STEEL THREADS: M18 x 1.5-6E .875" OD x 0.510" THICK	 90-200SSP 5 PACK INTERNAL 8MM HEX 303 STAINLESS STEEL THREADS: M18 x 1.5-6E .875" OD x 0.510" THICK	 90-203 INTERNAL 6MM HEX 1215 MILD STEEL THREADS: M12 x 1.25-6E .625" OD x 0.400" THICK
 90-203SS INTERNAL 6MM HEX 303 STAINLESS STEEL THREADS: M12 x 1.25-6E .625" OD x 0.400" THICK	 90-203SSP 5 PACK INTERNAL 6MM HEX 303 STAINLESS STEEL THREADS: M12 x 1.25-6E .625" OD x 0.400" THICK	 90-204 1215 MILD STEEL THREADS: M12 x 1.25-6E 0.625" Hex, 0.570" Thick Use with 1401F Copper Washer	 90-204P 5 PACK 1215 MILD STEEL THREADS: M12 x 1.25-6E 0.625" Hex, 0.570" Thick Use with 1401F Copper Washer	 90-204SS 303 STAINLESS STEEL THREADS: M12 x 1.25-6E 0.625" Hex, 0.570" Thick Use with 1401F Copper Washer	 90-204SSP 5 PACK 303 STAINLESS STEEL THREADS: M12 x 1.25-6E 0.625" Hex, 0.570" Thick Use with 1401F Copper Washer	 90-206SS 303 STAINLESS STEEL 62° ANGLE THREADS: M18 x 1.5-6H 1.0" OD x 0.824" THICK




QUALITY • COVERAGE • SUPPORT



HIGH PERFORMANCE O2 SENSOR BUNGS & PLUGS

HIGH PERFORMANCE PRODUCTS • OXYGEN SENSORS • BUNGS & PLUGS

 90-206SS-C 303 STAINLESS STEEL 62° ANGLE & CURVE THREADS: M18 x 1.5-6H 1.0" OD x 0.824" THICK	 90-207SS 303 STAINLESS STEEL THREADS: M18 x 1.5-6H 1.0" OD x 0.55" THICK	 90-207SS-C 303 STAINLESS STEEL WITH CURVE THREADS: M18 x 1.5-6H 1.0" OD x 0.55" THICK	 90-210 1215 MILD STEEL ID THREADS: M12 x 1.25-6E OD THREADS: M18 x 1.5-6E 0.875" Hex, 0.510" Thick Use with 1401F Copper Washer	 90-210SS 303 STAINLESS STEEL ID THREADS: M12 x 1.25-6E OD THREADS: M18 x 1.5-6E 0.875" Hex, 0.510" Thick Use with 1401F Copper Washer	 90-211 1215 MILD STEEL STEPPED OD THREADS: M18 x 1.5-6E 0.875" x 0.510" THICK	 90-212 1215 MILD STEEL, ZINC PLATED ID THREADS: 1/8-27NPT OD THREADS: M18 x 1.5-6E 1" Hex, 0.65" Thick Use with 1401F Copper Washer
 90-213-C 1215 MILD STEEL WITH CURVE THREADS: M18 x 1.5-6H 1.0" OD x 0.824" THICK	 90-214SS 303 STAINLESS STEEL THREADS: 1/8-27NPT 0.500" OD x 0.500" THICK	 91-100 14mm EGTS BUNG 303 STAINLESS STEEL THREADS: M14 x 1.5-6H	 91-101 14mm EGTS BUNG 303 STAINLESS STEEL THREADS: M14 x 1.5-6H	 91-102 14mm EXTERNAL EGTS BUNG 303 STAINLESS STEEL THREADS: M14 x 1.5-6H	 91-103 14mm EGTS BUNG 303 STAINLESS STEEL THREADS: M14 x 1.5-6H	 91-104 14mm EGTS PLUG 303 STAINLESS STEEL THREADS: M14 x 1.5-6H
 91-105 14mm EGTS CAP 303 STAINLESS STEEL THREADS: M14 x 1.5-6H	 91-106 12mm EGTS BUNG 303 STAINLESS STEEL THREADS: M12 x 1.5-6H	 91-107 14mm EGTS BUNG 303 STAINLESS STEEL THREADS: M14 x 1.5-6H	 91-108 12mm EGTS BUNG 303 STAINLESS STEEL THREADS: M12 x 1.5-6H	 91-109 12mm EGTS BUNG 303 STAINLESS STEEL THREADS: M12 x 1.5-6H	 91-110 12mm EGTS BUNG 303 STAINLESS STEEL THREADS: M12 x 1.5-6H	 91-111 16mm EGTS BUNG 303 STAINLESS STEEL THREADS: M16 x 1.5-6H
 91-112 16mm EGTS CAP 303 STAINLESS STEEL THREADS: M16 x 1.5-6H	 91-113 14mm EGTS BUNG 303 STAINLESS STEEL THREADS: M14 x 1.5-6H	 91-114 20mm EGTS BUNG 303 STAINLESS STEEL THREADS: M20 x 1.5-6H	 91-115 14mm EGTS BUNG 303 STAINLESS STEEL THREADS: M14 x 1.5-6H	 91-116 12mm EGTS BUNG 303 STAINLESS STEEL THREADS: M12 x 1.25-6H	 91-117 14mm EGTS BUNG 303 STAINLESS STEEL THREADS: M14 x 1.5-6H	 91-118 12mm EGTS BUNG 303 STAINLESS STEEL THREADS: M12 x 1.5-6H
 91-119 12mm EGTS CAP 303 STAINLESS STEEL THREADS: M12 x 1.25-6H	 91-120 16mm EGTS BUNG 303 STAINLESS STEEL THREADS: M16 x 1.5-6H	 91-121 12mm EGTS BUNG 303 STAINLESS STEEL THREADS: M12 x 1.25-6H	 91-122 12mm EGTS BUNG 303 STAINLESS STEEL THREADS: M12 x 1.25-6H	 91-123 14mm EGTS BUNG 303 STAINLESS STEEL THREADS: M14 x 1.5-6H	 91-124 12mm EGTS BUNG 303 STAINLESS STEEL THREADS: M12 x 1.25-6H	 91-125 14mm EGTS BUNG 303 STAINLESS STEEL THREADS: M14 x 1.5-6H